

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU122118\
 Data File : VU028889.D
 Acq On : 21 Dec 2018 21:28
 Operator : MD/SY
 Sample : J6509-04
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 ETO82

Quant Time: Dec 22 03:19:06 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM122018WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Dec 22 01:55:05 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	174319	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	164589	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	67041	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	62473	44.70	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	89.40%
7) Chloroethane-d5	1.67	69	50285	46.59	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	93.18%
11) 1,1-Dichloroethene-d2	2.27	63	81296	34.59	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.18%
21) 2-Butanone-d5	4.18	46	105319	107.57	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	107.57%
24) Chloroform-d	4.65	84	108258	49.26	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.52%
26) 1,2-Dichloroethane-d4	5.31	65	68400	50.49	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.98%
32) Benzene-d6	5.34	84	240261	51.67	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.34%
36) 1,2-Dichloropropane-d6	6.33	67	82675	52.34	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	104.68%
41) Toluene-d8	7.57	98	209501	49.72	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.44%
43) trans-1,3-Dichloropropene-	7.85	79	35108	49.60	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	99.20%
47) 2-Hexanone-d5	8.31	63	83224	110.93	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	110.93%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	110943	50.62	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	101.24%
64) 1,2-Dichlorobenzene-d4	11.86	152	70978	52.35	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	104.70%


Target Compounds					Ovalue
13) Acetone	2.32	43	3101	3.108 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU122118\
Data File : VU028889.D
Acq On : 21 Dec 2018 21:28
Operator : MD/SY
Sample : J6509-04
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 31 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
ETO82

Quant Time: Dec 22 03:19:06 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM122018WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Dec 22 01:55:05 2018
Response via : Initial Calibration





#13

Acetone

Concen: 3.108 ug/L

RT: 2.32 min Scan# 357

Delta R.T. 0.00 min

Lab File: VU028889.D

Acq: 21 Dec 2018 21:28

Instrument :
MSVOA_U
ClientSampleId :
ETO82

Tot Ion: 43 Resp: 3101

Ion Ratio Lower Upper

43 100

58 31.8 0.0 70.2

