

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\U122118\
 Data File : VU028891.D
 Acq On : 21 Dec 2018 22:16
 Operator : MD/SY
 Sample : J6509-06
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 ETO87

Quant Time: Dec 22 03:29:08 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM122018WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Dec 22 01:55:05 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	170986	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	162013	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	65619	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	60648	44.24	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	88.48%
7) Chloroethane-d5	1.67	69	50591	47.78	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	95.56%
11) 1,1-Dichloroethene-d2	2.27	63	82105	35.62	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	71.24%
21) 2-Butanone-d5	4.18	46	103889	108.17	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	108.17%
24) Chloroform-d	4.65	84	106613	49.46	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.92%
26) 1,2-Dichloroethane-d4	5.31	65	68241	51.36	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.72%
32) Benzene-d6	5.34	84	238314	52.07	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	104.14%
36) 1,2-Dichloropropane-d6	6.33	67	82141	52.83	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	105.66%
41) Toluene-d8	7.56	98	205910	49.64	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.28%
43) trans-1,3-Dichloropropene-	7.85	79	35279	50.63	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	101.26%
47) 2-Hexanone-d5	8.31	63	80955	109.62	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	109.62%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	108652	50.37	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	100.74%
64) 1,2-Dichlorobenzene-d4	11.86	152	71201	53.65	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	107.30%


Target Compounds					Ovalue
13) Acetone	2.32	43	3196	3.265 ug/L	88


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU122118\
Data File : VU028891.D
Acq On : 21 Dec 2018 22:16
Operator : MD/SY
Sample : J6509-06
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 33 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
ETO87

Quant Time: Dec 22 03:29:08 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM122018WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Dec 22 01:55:05 2018
Response via : Initial Calibration





#13

Acetone

Concen: 3.265 ug/L

RT: 2.32 min Scan# 358

Delta R.T. 0.00 min

Lab File: VU028891.D

Acq: 21 Dec 2018 22:16

Instrument :
MSVOA_U
ClientSampleId :
ETO87

Tot Ion: 43 Resp: 3196

Ion Ratio Lower Upper

43 100

58 27.9 0.0 70.2

