

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\U122120\
 Data File : VU041716.D
 Acq On : 21 Dec 2020 23:19
 Operator : SY/MD
 Sample : L5162-05
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 GB251

Quant Time: Dec 22 09:05:33 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Dec 22 05:59:09 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	133293	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	129357	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	65843	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	38381	3.68	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	73.60%
7) Chloroethane-d5	1.92	69	35991	4.46	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	89.20%
11) 1,1-Dichloroethene-d2	2.58	63	58788	3.06	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	61.20%
20) 2-Butanone-d5	4.67	46	152493	50.94	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	101.88%
24) Chloroform-d	5.08	84	90368	5.06	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	101.20%
26) 1,2-Dichloroethane-d4	5.72	65	50388	4.98	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	99.60%
32) Benzene-d6	5.74	84	171362	4.63	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	92.60%
36) 1,2-Dichloropropane-d6	6.70	67	58555	5.04	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	100.80%
41) Toluene-d8	7.90	98	144339	4.32	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	86.40%
43) trans-1,3-Dichloropropene-	8.19	79	23138	4.43	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	88.60%
46) 2-Hexanone-d5	8.64	63	156414	54.79	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	109.58%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	54790	5.19	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	103.80%
64) 1,2-Dichlorobenzene-d4	12.19	152	60317	5.15	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	103.00%

Target Compounds

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
14) Carbon disulfide	2.80	76	6840	0.219	ug/L	97
15) Methyl Acetate	2.98	43	28624	5.783	ug/L #	89
16) Methylene chloride	3.06	84	2208	0.204	ug/L	88
25) Chloroform	5.11	83	98212	5.579	ug/L	95
31) Carbon tetrachloride	5.54	117	13704	1.067	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU122120\
Data File : VU041716.D
Acq On : 21 Dec 2020 23:19
Operator : SY/MD
Sample : L5162-05
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 28 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
GB251

Quant Time: Dec 22 09:05:33 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Dec 22 05:59:09 2020
Response via : Initial Calibration

