





Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU122120\
Data File : VU041716.D
Acq On : 21 Dec 2020 23:19
Operator : SY/MD
Sample : L5162-05
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 28 Sample Multiplier: 1

Quant Time: Dec 22 06:17:48 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Dec 22 05:59:09 2020
Response via : Initial Calibration



```
Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU122120\  
Data File : VU041716.D  
Acq On    : 21 Dec 2020   23:19  
Operator  : SY/MD  
Sample    : L5162-05  
Misc      : 25.0mL/MSVOA U/WATER  
ALS Vial  : 28      Sample Multiplier: 1
```

Quant Time: Dec 22 06:03:22 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Dec 22 05:59:09 2020
Response via : Initial Calibration






response 2411

Ion	Exp%	Act%
43.05	100	100
58.05	36.60	14.85
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU122120\
 Data File : VU041716.D
 Acq On : 21 Dec 2020 23:19
 Operator : SY/MD
 Sample : L5162-05
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 28 Sample Multiplier: 1

Quant Time: Dec 22 06:03:22 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Dec 22 05:59:09 2020
 Response via : Initial Calibration



(13) Acetone (T)

2.703min (+0.032) 5.33ug/L m

response 10157




Ion	Exp%	Act%
43.05	100	100
58.05	36.60	3.52
0.00	0.00	0.00
0.00	0.00	0.00

7 MD
12/23/20

Quantitation Report (Qedit)

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU122120\
 Data File : VU041716.D
 Acq On : 21 Dec 2020 23:19
 Operator : SY/MD
 Sample : L5162-05
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 28 Sample Multiplier: 1

Quant Time: Dec 22 06:03:22 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Dec 22 05:59:09 2020
 Response via : Initial Calibration



TIC: VU041716.D




(21) 2-Butanone (T)
 4.742min (+0.003) 0.57ug/L
 response 1758

Ion	Exp%	Act%
43.05	100	100
72.10	29.30	33.28
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU122120\
 Data File : VU041716.D
 Acq On : 21 Dec 2020 23:19
 Operator : SY/MD
 Sample : L5162-05
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 28 Sample Multiplier: 1

Quant Time: Dec 22 06:03:22 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA U\METHOD\SOMUTR121220WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Dec 22 05:59:09 2020
 Response via : Initial Calibration



TIC: VU041716.D

(21) 2-Butanone (T)

4.742min (+0.003) 1.60ug/L m

response 4952

Ion	Exp%	Act%
43.05	100	100
72.10	29.30	11.81#
0.00	0.00	0.00
0.00	0.00	0.00

Handwritten signature
 12/23/20

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU122120\
 Data File : VU041716.D
 Acq On : 21 Dec 2020 23:19
 Operator : SY/MD
 Sample : L5162-05
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 28 Sample Multiplier: 1

Quant Time: Dec 22 06:17:48 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Dec 22 05:59:09 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	133293	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	129357	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	65843	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	38381	3.68	ug/L	0.00
Spiked Amount 5.000	Range 40 - 130		Recovery =	73.60%		
7) Chloroethane-d5	1.92	69	35991	4.46	ug/L	0.00
Spiked Amount 5.000	Range 65 - 130		Recovery =	89.20%		
11) 1,1-Dichloroethene-d2	2.58	63	58788	3.06	ug/L	0.00
Spiked Amount 5.000	Range 60 - 125		Recovery =	61.20%		
20) 2-Butanone-d5	4.67	46	152493	50.94	ug/L	0.00
Spiked Amount 50.000	Range 40 - 130		Recovery =	101.88%		
24) Chloroform-d	5.08	84	90368	5.06	ug/L	0.00
Spiked Amount 5.000	Range 70 - 125		Recovery =	101.20%		
26) 1,2-Dichloroethane-d4	5.72	65	50388	4.98	ug/L	0.00
Spiked Amount 5.000	Range 70 - 130		Recovery =	99.60%		
32) Benzene-d6	5.74	84	171362	4.63	ug/L	0.00
Spiked Amount 5.000	Range 70 - 125		Recovery =	92.60%		
36) 1,2-Dichloropropane-d6	6.70	67	58555	5.04	ug/L	0.00
Spiked Amount 5.000	Range 60 - 140		Recovery =	100.80%		
41) Toluene-d8	7.90	98	144339	4.32	ug/L	0.00
Spiked Amount 5.000	Range 70 - 130		Recovery =	86.40%		
43) trans-1,3-Dichloropropene-	8.19	79	23138	4.43	ug/L	0.00
Spiked Amount 5.000	Range 55 - 130		Recovery =	88.60%		
46) 2-Hexanone-d5	8.64	63	156414	54.79	ug/L	0.00
Spiked Amount 50.000	Range 45 - 130		Recovery =	109.58%		
57) 1,1,2,2-Tetrachloroethane-	10.75	84	54790	5.19	ug/L	0.00
Spiked Amount 5.000	Range 65 - 120		Recovery =	103.80%		
64) 1,2-Dichlorobenzene-d4	12.19	152	60317	5.15	ug/L	0.00
Spiked Amount 5.000	Range 80 - 120		Recovery =	103.00%		

Target Compounds

					Ovalue	
13) Acetone	2.70	43	10157m	5.335	ug/L	
14) Carbon disulfide	2.80	76	6840	0.219	ug/L	97
15) Methyl Acetate	2.98	43	28624	5.783	ug/L #	89
16) Methylene chloride	3.06	84	2208	0.204	ug/L	88
21) 2-Butanone	4.74	43	4952m	1.597	ug/L	
25) Chloroform	5.11	83	98212	5.579	ug/L	95
31) Carbon tetrachloride	5.54	117	13704	1.067	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed