

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\U122120\
 Data File : VU041694.D
 Acq On : 21 Dec 2020 12:13
 Operator : SY/MD
 Sample : VU1221WBL01
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK08

Quant Time: Dec 22 03:02:04 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Dec 22 02:49:59 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	145282	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	141811	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	70300	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	56601	4.98	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	99.60%
7) Chloroethane-d5	1.92	69	50971	5.80	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	116.00%
11) 1,1-Dichloroethene-d2	2.58	63	78169	3.74	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	74.80%
20) 2-Butanone-d5	4.65	46	182873	56.05	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	112.10%
24) Chloroform-d	5.08	84	103509	5.32	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	106.40%
26) 1,2-Dichloroethane-d4	5.71	65	58994	5.34	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	106.80%
32) Benzene-d6	5.74	84	211271	5.20	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	104.00%
36) 1,2-Dichloropropane-d6	6.70	67	65947	5.18	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	103.60%
41) Toluene-d8	7.90	98	185923	5.07	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	101.40%
43) trans-1,3-Dichloropropene-	8.18	79	25936	4.53	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	90.60%
46) 2-Hexanone-d5	8.64	63	157387	50.29	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	100.58%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	61941	5.36	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	107.20%
64) 1,2-Dichlorobenzene-d4	12.19	152	73272	5.86	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	117.20%


Target Compounds					Ovalue
16) Methylene chloride	3.06	84	2471	0.210 ug/L	85


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU122120\
Data File : VU041694.D
Acq On : 21 Dec 2020 12:13
Operator : SY/MD
Sample : VU1221WBL01
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK08

Quant Time: Dec 22 03:02:04 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Dec 22 02:49:59 2020
Response via : Initial Calibration





#16
 Methvlene chloride
 Concen: 0.210 ug/L
 RT: 3.06 min Scan# 534
 Delta R.T. 0.00 min
 Lab File: VU041694.D
 Acq: 21 Dec 2020 12:13

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK08

Tot Ion: 84 Resp: 2471
 Ion Ratio Lower Upper
 84 100
 86 64.2 45.1 83.7
 49 94.1 83.1 154.3

