

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU122123\
 Data File : VU057166.D
 Acq On : 22 Dec 2023 04:30
 Operator : MD/SY
 Sample : 05912-06
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 43 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BH3M7

Quant Time: Dec 22 07:06:56 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR122123WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Dec 22 01:33:10 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	155503	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	152903	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	68181	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	72003	4.844	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	96.800%
7) Chloroethane-d5	1.911	69	63166	5.163	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	103.200%
11) 1,1-Dichloroethene-d2	2.563	65	33057	5.133	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	102.600%
20) 2-Butanone-d5	4.637	46	121598	52.107	ug/L	0.01
Spiked Amount	50.000	Range	40 - 130	Recovery	=	104.220%
24) Chloroform-d	5.055	84	141826	4.941	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	98.800%
26) 1,2-Dichloroethane-d4	5.695	65	71375	5.218	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	104.400%
32) Benzene-d6	5.721	84	261428	4.985	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	99.600%
36) 1,2-Dichloropropane-d6	6.685	67	76499	5.126	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	102.600%
41) Toluene-d8	7.894	98	219131	4.577	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	91.600%
43) trans-1,3-Dichloroprop...	8.177	79	29250	4.708	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	94.200%
46) 2-Hexanone-d5	8.631	63	100908	47.706	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	95.420%
56) 1,1,2,2-Tetrachloroeth...	10.750	84	54207	5.104	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	102.000%
66) 1,2-Dichlorobenzene-d4	12.187	152	75765	5.164	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	103.200%
Target Compounds					Qvalue	
42) Toluene	7.965	91	115510	2.248	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU122123\
Data File : VU057166.D
Acq On : 22 Dec 2023 04:30
Operator : MD/SY
Sample : 05912-06
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 43 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BH3M7

Quant Time: Dec 22 07:06:56 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR122123WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Dec 22 01:33:10 2023
Response via : Initial Calibration

