

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\U122220\
 Data File : VU041740.D
 Acq On : 22 Dec 2020 14:38
 Operator : SY/MD
 Sample : L5148-07DL 20X
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 GB1T6DL

Quant Time: Dec 23 04:59:39 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Dec 23 04:05:15 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	134636	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	127286	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	58300	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	51025	4.85	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	97.00%
7) Chloroethane-d5	1.92	69	52694	6.47	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	129.40%
11) 1,1-Dichloroethene-d2	2.58	63	79092	4.08	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	81.60%
20) 2-Butanone-d5	4.66	46	173205	57.29	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	114.58%
24) Chloroform-d	5.08	84	100877	5.59	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	111.80%
26) 1,2-Dichloroethane-d4	5.72	65	58367	5.71	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	114.20%
32) Benzene-d6	5.74	84	199016	5.46	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	109.20%
36) 1,2-Dichloropropane-d6	6.70	67	63170	5.53	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	110.60%
41) Toluene-d8	7.90	98	165718	5.04	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	100.80%
43) trans-1,3-Dichloropropene-	8.19	79	25934	5.05	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	101.00%
46) 2-Hexanone-d5	8.64	63	157878	56.20	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	112.40%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	58556	5.64	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	112.80%
64) 1,2-Dichlorobenzene-d4	12.19	152	61711	5.95	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	119.00%

Target Compounds					Ovalue
47) Tetrachloroethene	8.56	164	106677	14.897 ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU122220\
Data File : VU041740.D
Acq On : 22 Dec 2020 14:38
Operator : SY/MD
Sample : L5148-07DL 20X
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
GB1T6DL

Quant Time: Dec 23 04:59:39 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Dec 23 04:05:15 2020
Response via : Initial Calibration

