

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU122223\
 Data File : VU057186.D
 Acq On : 22 Dec 2023 13:45
 Operator : MD/SY
 Sample : VU1222WBL01
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK118

Quant Time: Dec 22 22:47:34 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR122123WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Dec 22 22:46:58 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	165607	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	161456	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	65268	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.599	65	87982	5.558	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	= 111.200%		
7) Chloroethane-d5	1.914	69	70472	5.409	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	= 108.200%		
11) 1,1-Dichloroethene-d2	2.563	65	37555	5.476	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	= 109.600%		
20) 2-Butanone-d5	4.624	46	129755	52.210	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	= 104.420%		
24) Chloroform-d	5.055	84	158634	5.190	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	= 103.800%		
26) 1,2-Dichloroethane-d4	5.695	65	79829	5.480	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	= 109.600%		
32) Benzene-d6	5.721	84	299538	5.409	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	= 108.200%		
36) 1,2-Dichloropropane-d6	6.682	67	87298	5.540	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	= 110.800%		
41) Toluene-d8	7.894	98	254874	5.041	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	= 100.800%		
43) trans-1,3-Dichloroprop...	8.174	79	30331	4.624	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	= 92.400%		
46) 2-Hexanone-d5	8.627	63	113333	50.742	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	= 101.480%		
56) 1,1,2,2-Tetrachloroeth...	10.749	84	58129	5.184	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	= 103.600%		
66) 1,2-Dichlorobenzene-d4	12.187	152	79344	5.649	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	= 113.000%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU122223\
Data File : VU057186.D
Acq On : 22 Dec 2023 13:45
Operator : MD/SY
Sample : VU1222WBL01
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK118

Quant Time: Dec 22 22:47:34 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR122123WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Dec 22 22:46:58 2023
Response via : Initial Calibration

