

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU122223\
 Data File : VU057227.D
 Acq On : 23 Dec 2023 07:04
 Operator : MD/SY
 Sample : 05979-08
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 47 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BGRR0

Quant Time: Dec 25 00:16:27 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR122123WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat Dec 23 00:27:07 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	172574	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	174962	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	76150	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.599	65	69976	4.242	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	84.800%
7) Chloroethane-d5	1.910	69	59881	4.410	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	88.200%
11) 1,1-Dichloroethene-d2	2.563	65	30496	4.267	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	85.400%
20) 2-Butanone-d5	4.621	46	145500	56.182	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	112.360%
24) Chloroform-d	5.055	84	152184	4.778	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.600%
26) 1,2-Dichloroethane-d4	5.695	65	75221	4.955	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	99.000%
32) Benzene-d6	5.721	84	273652	4.560	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	91.200%
36) 1,2-Dichloropropane-d6	6.685	67	85051	4.980	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	99.600%
41) Toluene-d8	7.894	98	219453	4.005	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	80.200%
43) trans-1,3-Dichloroprop...	8.174	79	29847	4.199	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	84.000%
46) 2-Hexanone-d5	8.627	63	120529	49.798	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	99.600%
56) 1,1,2,2-Tetrachloroeth...	10.749	84	63059	5.189	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	103.800%
66) 1,2-Dichlorobenzene-d4	12.187	152	77766	4.746	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	95.000%
Target Compounds						Qvalue
47) Tetrachloroethene	8.547	164	29993	2.581	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU122223\
Data File : VU057227.D
Acq On : 23 Dec 2023 07:04
Operator : MD/SY
Sample : 05979-08
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 47 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BGRR0

Quant Time: Dec 25 00:16:27 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR122123WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Dec 23 00:27:07 2023
Response via : Initial Calibration





#47

Tetrachloroethene

Concen: 2.581 ug/L

RT: 8.547 min Scan# 21

Delta R.T. -0.000 min

Lab File: VU057227.D


Acq: 23 Dec 2023 07:04

Instrument :

MSVOA_U

ClientSampleId :

BGRR0



Tgt Ion:164 Resp: 29993

Ion Ratio Lower Upper

164 100

129 103.8 72.9 135.3

131 98.9 71.7 133.3

166 129.0 87.7 162.9

