


Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU122321\
Data File : VU046581.D
Acq On : 23 Dec 2021 21:25
Operator : SY/MD
Sample : M5175-06
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
GBBY8

Manual IntegrationsAPPROVED

Quant Time: Dec 24 04:58:44 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR122121WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Dec 24 04:54:59 2021
Response via : Initial Calibration

Reviewed By :Amit Patel 12/24/2021
Supervised By :Semsettin Yesilyurt 01/02/2022






Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU122321\
Data File : VU046581.D
Acq On : 23 Dec 2021 21:25
Operator : SY/MD
Sample : M5175-06
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
GBBY8

Manual IntegrationsAPPROVED

Reviewed By :Amit Patel 12/24/2021
Supervised By :Semsettin Yesilyurt 01/02/2022

Quant Time: Dec 24 04:58:44 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR122121WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Dec 24 04:54:59 2021
Response via : Initial Calibration



TIC: VU046581.D\data.ms

(13) Acetone (T)

2.674min (-0.019) 1.36 ug/L

response 2314

Ion	Exp%	Act%
43.05	100.00	100.00
58.05	35.80	24.72
0.00	0.00	0.00
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU122321\
Data File : VU046581.D
Acq On : 23 Dec 2021 21:25
Operator : SY/MD
Sample : M5175-06
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
GBBY8

Manual IntegrationsAPPROVED

Reviewed By :Amit Patel 12/24/2021
Supervised By :Semsettin Yesilyurt 01/02/2022

Quant Time: Dec 24 04:58:44 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR122121WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Dec 24 04:54:59 2021
Response via : Initial Calibration



TIC: VU046581.D\data.ms

(13) Acetone (T)

2.674min (-0.019) 4.90 ug/L m

response 8373

Ion	Exp%	Act%
43.05	100.00	100.00
58.05	35.80	6.83
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU122321\
 Data File : VU046581.D
 Acq On : 23 Dec 2021 21:25
 Operator : SY/MD
 Sample : M5175-06
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 GBBY8

Manual IntegrationsAPPROVED

Quant Time: Dec 24 04:58:44 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR122121WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Dec 24 04:54:59 2021
 Response via : Initial Calibration

Reviewed By :Amit Patel 12/24/2021
 Supervised By :Semsettin Yesilyurt 01/02/2022

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	6.253	114	79693	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.420	117	77394	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	35353	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.604	65	21469	3.420	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	68.400%	
7) Chloroethane-d5	1.919	69	19226	3.890	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	77.800%	
11) 1,1-Dichloroethene-d2	2.575	65	9719	3.672	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	73.400%	
20) 2-Butanone-d5	4.655	46	102616	56.358	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	112.720%	
24) Chloroform-d	5.067	84	50631	4.402	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	88.000%	
26) 1,2-Dichloroethane-d4	5.706	65	30898	4.699	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	94.000%	
32) Benzene-d6	5.732	84	90809	4.209	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	84.200%	
36) 1,2-Dichloropropane-d6	6.693	67	29623	4.569	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	91.400%	
41) Toluene-d8	7.899	98	74208	3.790	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	75.800%	
43) trans-1,3-Dichloroprop...	8.179	79	12080	4.029	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	80.600%	
46) 2-Hexanone-d5	8.639	63	97056	55.134	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	110.260%	
56) 1,1,2,2-Tetrachloroeth...	10.758	84	33476	5.031	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	100.600%	
66) 1,2-Dichlorobenzene-d4	12.195	152	33086	5.081	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	101.600%	
Target Compounds						
12) 1,1-Dichloroethene	2.588	96	2202	0.314	ug/L	# 1
13) Acetone	2.674	43	8373m	4.905	ug/L	
14) Carbon disulfide	2.800	76	4656	0.203	ug/L	97
19) 1,1-Dichloroethane	3.874	63	7076	0.514	ug/L	96
22) cis-1,2-Dichloroethene	4.671	96	19480	2.383	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed