

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU122623\
 Data File : VU057256.D
 Acq On : 27 Dec 2023 01:28
 Operator : MD/SY
 Sample : VU1226WBL02
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK121

Quant Time: Dec 27 01:41:44 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR122123WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Dec 27 01:05:12 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	157340	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	161958	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	69704	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.599	65	87000	5.785	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	115.800%	
7) Chloroethane-d5	1.914	69	65045	5.254	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	105.000%	
11) 1,1-Dichloroethene-d2	2.563	65	35758	5.488	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	109.800%	
20) 2-Butanone-d5	4.631	46	137467	58.220	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	116.440%	
24) Chloroform-d	5.055	84	141194	4.862	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	97.200%	
26) 1,2-Dichloroethane-d4	5.695	65	68019	4.914	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	98.200%	
32) Benzene-d6	5.721	84	261244	4.703	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	94.000%	
36) 1,2-Dichloropropane-d6	6.682	67	79882	5.053	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	101.000%	
41) Toluene-d8	7.894	98	205999	4.062	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	81.200%	
43) trans-1,3-Dichloroprop...	8.174	79	27891	4.239	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	84.800%	
46) 2-Hexanone-d5	8.631	63	100135	44.694	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	89.380%	
56) 1,1,2,2-Tetrachloroeth...	10.750	84	56998	5.067	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	101.400%	
66) 1,2-Dichlorobenzene-d4	12.187	152	68300	4.554	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	91.000%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU122623\
Data File : VU057256.D
Acq On : 27 Dec 2023 01:28
Operator : MD/SY
Sample : VU1226WBL02
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 29 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK121

Quant Time: Dec 27 01:41:44 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR122123WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Dec 27 01:05:12 2023
Response via : Initial Calibration

