

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU122718\
 Data File : VU028961.D
 Acq On : 27 Dec 2018 11:56
 Operator : MD/SY
 Sample : J6507-03ME
 Misc : 6.2µ/5mL/100uL/5.0mL/MSVOA_U/MEOH
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BF000ME

Quant Time: Dec 28 01:14:42 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM122018WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Dec 28 00:46:50 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	240879	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	230541	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	114553	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	60589	31.38	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	62.76%
7) Chloroethane-d5	1.64	69	33800	22.66	ug/L	-0.03
Spiked Amount	50.000	Range	70 - 130	Recovery	=	45.32%#
11) 1,1-Dichloroethene-d2	2.23	63	95094	29.28	ug/L	-0.04
Spiked Amount	50.000	Range	60 - 125	Recovery	=	58.56%#
21) 2-Butanone-d5	4.19	46	118615	87.67	ug/L	0.02
Spiked Amount	100.000	Range	40 - 130	Recovery	=	87.67%
24) Chloroform-d	4.64	84	130153	42.86	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	85.72%
26) 1,2-Dichloroethane-d4	5.30	65	82882	44.28	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.56%
32) Benzene-d6	5.33	84	281098	43.16	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	86.32%
36) 1,2-Dichloropropane-d6	6.32	67	95970	43.37	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	86.74%
41) Toluene-d8	7.56	98	260017	44.05	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	88.10%
43) trans-1,3-Dichloropropene-	7.85	79	45860	46.26	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.52%
47) 2-Hexanone-d5	8.32	63	110127	104.80	ug/L	0.02
Spiked Amount	100.000	Range	45 - 130	Recovery	=	104.80%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	157228	51.22	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	102.44%
64) 1,2-Dichlorobenzene-d4	11.86	152	115737	49.95	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.90%

Target Compounds					Ovalue
46) Tetrachloroethene	8.22	164	32603	23.890 ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU122718\
Data File : VU028961.D
Acq On : 27 Dec 2018 11:56
Operator : MD/SY
Sample : J6507-03ME
Misc : 6.2µ/5mL/100µL/5.0mL/MSVOA_U/MEOH
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BF000ME

Quant Time: Dec 28 01:14:42 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM122018WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Dec 28 00:46:50 2018
Response via : Initial Calibration

