

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_U\Data\VU122721\  
 Data File : VU046595.D  
 Acq On : 27 Dec 2021 13:49  
 Operator : SY/MD  
 Sample : M5201-04  
 Misc : 25.0mL/MSVOA\_U/WATER  
 ALS Vial : 5 Sample Multiplier: 1

Instrument :  
 MSVOA\_U  
 ClientSampleId :  
 P033-TW001-02

Quant Time: Dec 28 04:56:32 2021  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_U\Method\SFAMUTR122121WMA.M  
 Quant Title : TRACE VOA SFAM1.0  
 QLast Update : Tue Dec 28 04:55:25 2021  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon  | Response | Conc     | Units | Dev(Min) |
|-------------------------------|--------|-------|----------|----------|-------|----------|
| -----                         |        |       |          |          |       |          |
| Internal Standards            |        |       |          |          |       |          |
| 1) 1,4-Difluorobenzene        | 6.253  | 114   | 81569    | 5.000    | ug/L  | 0.00     |
| 28) Chlorobenzene-d5          | 9.420  | 117   | 81074    | 5.000    | ug/L  | 0.00     |
| 58) 1,4-Dichlorobenzene-d4    | 11.812 | 152   | 39283    | 5.000    | ug/L  | 0.00     |
| System Monitoring Compounds   |        |       |          |          |       |          |
| 4) Vinyl Chloride-d3          | 1.604  | 65    | 3430     | 0.534    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 40 - 130 | Recovery | =     | 10.600%# |
| 7) Chloroethane-d5            | 1.919  | 69    | 4751     | 0.939    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 65 - 130 | Recovery | =     | 18.800%# |
| 11) 1,1-Dichloroethene-d2     | 2.575  | 65    | 1117     | 0.412    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 60 - 125 | Recovery | =     | 8.200%#  |
| 20) 2-Butanone-d5             | 4.652  | 46    | 85428    | 45.839   | ug/L  | 0.00     |
| Spiked Amount                 | 50.000 | Range | 40 - 130 | Recovery | =     | 91.680%  |
| 24) Chloroform-d              | 5.070  | 84    | 18927    | 1.608    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 125 | Recovery | =     | 32.200%# |
| 26) 1,2-Dichloroethane-d4     | 5.706  | 65    | 12600    | 1.872    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 130 | Recovery | =     | 37.400%# |
| 32) Benzene-d6                | 5.732  | 84    | 20449    | 0.905    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 125 | Recovery | =     | 18.000%# |
| 36) 1,2-Dichloropropane-d6    | 6.693  | 67    | 10240    | 1.508    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 60 - 140 | Recovery | =     | 30.200%# |
| 41) Toluene-d8                | 7.899  | 98    | 11940    | 0.582    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 130 | Recovery | =     | 11.600%# |
| 43) trans-1,3-Dichloroprop... | 8.182  | 79    | 4008     | 1.276    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 55 - 130 | Recovery | =     | 25.600%# |
| 46) 2-Hexanone-d5             | 8.639  | 63    | 75219    | 40.790   | ug/L  | 0.00     |
| Spiked Amount                 | 50.000 | Range | 45 - 130 | Recovery | =     | 81.580%  |
| 56) 1,1,2,2-Tetrachloroeth... | 10.758 | 84    | 22780    | 3.268    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 65 - 120 | Recovery | =     | 65.400%  |
| 66) 1,2-Dichlorobenzene-d4    | 12.195 | 152   | 13946    | 1.927    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 80 - 120 | Recovery | =     | 38.600%# |

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_U\Data\VU122721\  
Data File : VU046595.D  
Acq On : 27 Dec 2021 13:49  
Operator : SY/MD  
Sample : M5201-04  
Misc : 25.0mL/MSVOA\_U/WATER  
ALS Vial : 5 Sample Multiplier: 1

Instrument :  
MSVOA\_U  
ClientSampleId :  
P033-TW001-02

Quant Time: Dec 28 04:56:32 2021  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_U\Method\SFAMUTR122121WMA.M  
Quant Title : TRACE VOA SFAM1.0  
QLast Update : Tue Dec 28 04:55:25 2021  
Response via : Initial Calibration

