

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU122724\
 Data File : VU062617.D
 Acq On : 27 Dec 2024 15:02
 Operator : MD/SY
 Sample : P5309-07
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0CF8

Quant Time: Dec 27 22:00:12 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR120924WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Dec 27 21:56:24 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.239	114	106960	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.409	117	97464	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.804	152	50434	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.592	65	24796	3.437	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	68.800%
7) Chloroethane-d5	1.904	69	20190	3.934	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	78.600%
11) 1,1-Dichloroethene-d2	2.560	65	12193	3.553	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	71.000%
20) 2-Butanone-d5	4.621	46	62447	45.165	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	90.320%
24) Chloroform-d	5.052	84	64617	4.138	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	82.800%
26) 1,2-Dichloroethane-d4	5.692	65	36813	4.795	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	95.800%
32) Benzene-d6	5.718	84	114797	4.090	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	81.800%
36) 1,2-Dichloropropane-d6	6.679	67	32670	4.068	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	81.400%
41) Toluene-d8	7.888	98	111271	4.196	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	84.000%
43) trans-1,3-Dichloroprop...	8.174	79	16168	4.573	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	91.400%
46) 2-Hexanone-d5	8.624	63	57022	53.463	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	106.920%
56) 1,1,2,2-Tetrachloroeth...	10.746	84	27062	4.330	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	86.600%
66) 1,2-Dichlorobenzene-d4	12.187	152	43675	4.699	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	94.000%
Target Compounds						
5) Vinyl chloride	1.599	62	3550	0.434	ug/L	86
13) Acetone	2.637	43	5509	5.852	ug/L	99
22) cis-1,2-Dichloroethene	4.653	96	70557	8.483	ug/L	95
25) Chloroform	5.075	83	26650	1.740	ug/L	100
33) Benzene	5.766	78	10820	0.358	ug/L	100
34) Trichloroethene	6.538	95	3766	0.440	ug/L	96
38) Bromodichloromethane	7.097	83	2570	0.248	ug/L #	89
42) Toluene	7.965	91	4324	0.133	ug/L	100
51) Chlorobenzene	9.438	112	2730	0.131	ug/L #	81


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU122724\
Data File : VU062617.D
Acq On : 27 Dec 2024 15:02
Operator : MD/SY
Sample : P5309-07
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0CF8

Quant Time: Dec 27 22:00:12 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR120924WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Dec 27 21:56:24 2024
Response via : Initial Calibration









#5
 Vinyl chloride
 Concen: 0.434 ug/L
 RT: 1.599 min Scan# 96
 Delta R.T. 0.003 min
 Lab File: VU062617.D
 Acq: 27 Dec 2024 15:02




Instrument :
 MSVOA_U
 ClientSampleId :
 C0CF8


Tgt Ion: 62 Resp: 3550
 Ion Ratio Lower Upper
 62 100
 64 40.9 23.1 42.9



#13
 Acetone
 Concen: 5.852 ug/L
 RT: 2.637 min Scan# 419
 Delta R.T. 0.006 min
 Lab File: VU062617.D
 Acq: 27 Dec 2024 15:02


Tgt Ion: 43 Resp: 5509
 Ion Ratio Lower Upper
 43 100
 58 31.5 0.0 64.0








#22
 cis-1,2-Dichloroethene
 Concen: 8.483 ug/L
 RT: 4.653 min Scan# 1046
 Delta R.T. -0.000 min
 Lab File: VU062617.D
 Acq: 27 Dec 2024 15:02

Instrument :
 MSVOA_U
 ClientSampleId :
 C0CF8







Tgt Ion: 96 Resp: 70557
 Ion Ratio Lower Upper
 96 100
 61 125.8 92.0 170.8
 98 67.9 44.5 82.7



#25
 Chloroform
 Concen: 1.740 ug/L
 RT: 5.075 min Scan# 1177
 Delta R.T. -0.000 min
 Lab File: VU062617.D
 Acq: 27 Dec 2024 15:02

Tgt Ion: 83 Resp: 26650
 Ion Ratio Lower Upper
 83 100
 85 64.8 45.4 84.2





#33

Benzene

Concen: 0.358 ug/L

RT: 5.766 min Scan# 13

Delta R.T. 0.003 min

Lab File: VU062617.D

Acq: 27 Dec 2024 15:02





Instrument :

MSVOA_U

ClientSampleId :

C0CF8

Tgt Ion: 78 Resp: 10820



#34

Trichloroethene

Concen: 0.440 ug/L

RT: 6.538 min Scan# 1632




Delta R.T. 0.006 min


Lab File: VU062617.D

Acq: 27 Dec 2024 15:02

Tgt Ion: 95 Resp: 3766

Ion	Ratio	Lower	Upper
95	100		
97	59.8	45.9	85.3
132	85.6	63.8	118.4
130	94.6	65.5	121.7









#38
 Bromodichloromethane
 Concen: 0.248 ug/L
 RT: 7.097 min Scan# 1805
 Delta R.T. 0.003 min
 Lab File: VU062617.D
 Acq: 27 Dec 2024 15:02




Instrument :
 MSVOA_U
 ClientSampleId :
 C0CF8


Tgt Ion:	83	Resp:	2570
Ion	Ratio	Lower	Upper
83	100		
85	56.2	44.1	81.9
127	0.0	6.9	10.3



#42
 Toluene
 Concen: 0.133 ug/L
 RT: 7.965 min Scan# 2076
 Delta R.T. 0.006 min
 Lab File: VU062617.D
 Acq: 27 Dec 2024 15:02

Tgt Ion:	91	Resp:	4324
Ion	Ratio	Lower	Upper
91	100		
92	55.7	39.0	72.4





#51
 Chlorobenzene
 Concen: 0.131 ug/L
 RT: 9.438 min Scan# 25
 Delta R.T. -0.000 min
 Lab File: VU062617.D
 Acq: 27 Dec 2024 15:02

Instrument : MSVOA_U
 ClientSampleId : C0CF8

Tgt Ion:	112	Resp:	2730
Ion	Ratio	Lower	Upper
112	100		
114	31.7	23.0	42.6
77	85.2	50.5	75.7#

