

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\U122818\
 Data File : VU028976.D
 Acq On : 27 Dec 2018 20:16
 Operator : MD/SY
 Sample : J6507-04
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BF030

Quant Time: Dec 28 03:31:31 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR122818WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Dec 28 03:05:23 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	116031	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	110819	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	52266	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	29904	4.82	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	96.40%
7) Chloroethane-d5	1.68	69	27459	5.07	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	101.40%
11) 1,1-Dichloroethene-d2	2.27	63	43878	3.34	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	66.80%
20) 2-Butanone-d5	4.19	46	88176	54.33	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	108.66%
24) Chloroform-d	4.65	84	59965	4.97	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	99.40%
26) 1,2-Dichloroethane-d4	5.31	65	31441	5.11	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	102.20%
32) Benzene-d6	5.34	84	127295	4.91	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	98.20%
36) 1,2-Dichloropropane-d6	6.33	67	43390	5.24	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	104.80%
41) Toluene-d8	7.57	98	114807	4.79	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	95.80%
43) trans-1,3-Dichloropropene-	7.85	79	15044	4.83	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	96.60%
46) 2-Hexanone-d5	8.31	63	74259	52.31	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	104.62%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	33347	5.06	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	101.20%
64) 1,2-Dichlorobenzene-d4	11.86	152	45442	5.20	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	104.00%


Target Compounds					Ovalue
13) Acetone	2.32	43	10147	7.746 ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU122818\
Data File : VU028976.D
Acq On : 27 Dec 2018 20:16
Operator : MD/SY
Sample : J6507-04
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BF030

Quant Time: Dec 28 03:31:31 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR122818WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Dec 28 03:05:23 2018
Response via : Initial Calibration





#13

Acetone

Concen: 7.746 ug/L

RT: 2.32 min Scan# 358

Delta R.T. 0.00 min

Lab File: VU028976.D

Acq: 27 Dec 2018 20:16

Instrument :
MSVOA_U
ClientSampleId :
BF030

Tot Ion: 43 Resp: 10147

Ion Ratio Lower Upper

43 100

58 36.6 0.0 71.8

