

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU122823\
 Data File : VU057334.D
 Acq On : 28 Dec 2023 15:31
 Operator : MD/SY
 Sample : VU1228WBL01
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK125

Quant Time: Dec 28 21:37:45 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR122723WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Dec 28 21:37:03 2023
 Response via : Initial Calibration

Compound		R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards							
1) 1,4-Difluorobenzene		6.245	114	230301	5.000	ug/L	0.00
28) Chlorobenzene-d5		9.412	117	235203	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4		11.807	152	88793	5.000	ug/L	0.00
System Monitoring Compounds							
4) Vinyl Chloride-d3		1.596	65	100136	5.058	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	101.200%	
7) Chloroethane-d5		1.911	69	88182	5.545	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	111.000%	
11) 1,1-Dichloroethene-d2		2.563	65	38529	4.889	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	97.800%	
20) 2-Butanone-d5		4.634	46	226775	50.572	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	101.140%	
24) Chloroform-d		5.055	84	187503	5.326	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	106.600%	
26) 1,2-Dichloroethane-d4		5.698	65	93447	5.194	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	103.800%	
32) Benzene-d6		5.721	84	350637	5.230	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	104.600%	
36) 1,2-Dichloropropane-d6		6.685	67	117129	5.575	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	111.400%	
41) Toluene-d8		7.894	98	269308	4.656	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	93.200%	
43) trans-1,3-Dichloroprop...		8.174	79	40394	4.792	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	95.800%	
46) 2-Hexanone-d5		8.627	63	159189	41.694	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	83.380%	
56) 1,1,2,2-Tetrachloroeth...		10.750	84	83609	4.739	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	94.800%	
66) 1,2-Dichlorobenzene-d4		12.187	152	89440	5.532	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	110.600%	
Target Compounds							
16) Methylene chloride		3.039	84	5695	0.293	ug/L	Qvalue 95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU122823\
Data File : VU057334.D
Acq On : 28 Dec 2023 15:31
Operator : MD/SY
Sample : VU1228WBL01
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK125

Quant Time: Dec 28 21:37:45 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR122723WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Dec 28 21:37:03 2023
Response via : Initial Calibration

