

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\U123119\
 Data File : VU036383.D
 Acq On : 31 Dec 2019 11:45
 Operator : JC/MD
 Sample : VU1231WBL01
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK10

Manual Integrations
 APPROVED

apatel
 1/2/2020 4:01:52 PM

Quant Time: Jan 01 01:32:25 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR122819WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Jan 01 01:19:59 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	296391	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	287924	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	121616	5.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.61	65	87166	4.05	ug/L	0.00
Spiked Amount 5.000	Range 40 - 130		Recovery =	81.00%		
7) Chloroethane-d5	1.93	69	84984	4.36	ug/L	0.00
Spiked Amount 5.000	Range 65 - 130		Recovery =	87.20%		
11) 1,1-Dichloroethene-d2	2.59	63	133619	3.39	ug/L	0.00
Spiked Amount 5.000	Range 60 - 125		Recovery =	67.80%		
20) 2-Butanone-d5	4.69	46	237625	43.26	ug/L	0.00
Spiked Amount 50.000	Range 40 - 130		Recovery =	86.52%		
24) Chloroform-d	5.11	84	194712	4.51	ug/L	0.00
Spiked Amount 5.000	Range 70 - 125		Recovery =	90.20%		
26) 1,2-Dichloroethane-d4	5.75	65	113930	4.94	ug/L	0.00
Spiked Amount 5.000	Range 70 - 130		Recovery =	98.80%		
32) Benzene-d6	5.77	84	379125	4.56	ug/L	0.00
Spiked Amount 5.000	Range 70 - 125		Recovery =	91.20%		
36) 1,2-Dichloropropane-d6	6.73	67	125009	4.69	ug/L	0.00
Spiked Amount 5.000	Range 60 - 140		Recovery =	93.80%		
41) Toluene-d8	7.93	98	347172	4.44	ug/L	0.00
Spiked Amount 5.000	Range 70 - 130		Recovery =	88.80%		
43) trans-1,3-Dichloropropene-	8.21	79	56427	4.59	ug/L	0.00
Spiked Amount 5.000	Range 55 - 130		Recovery =	91.80%		
46) 2-Hexanone-d5	8.67	63	258205	48.84	ug/L	0.00
Spiked Amount 50.000	Range 45 - 130		Recovery =	97.68%		
57) 1,1,2,2-Tetrachloroethane-	10.78	84	106789	4.62	ug/L	0.00
Spiked Amount 5.000	Range 65 - 120		Recovery =	92.40%		
64) 1,2-Dichlorobenzene-d4	12.21	152	118768	4.58	ug/L	0.00
Spiked Amount 5.000	Range 80 - 120		Recovery =	91.60%		
Target Compounds						
13) Acetone	2.67	43	8868m	2.506	ug/L	
16) Methylene chloride	3.08	84	3643	0.159	ug/L	81

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU123119\
Data File : VU036383.D
Acq On : 31 Dec 2019 11:45
Operator : JC/MD
Sample : VU1231WBL01
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleID :
VBLK10

Manual Integrations
APPROVED

apatel
1/2/2020 4:01:52 PM

Quant Time: Jan 01 01:32:25 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR122819WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Jan 01 01:19:59 2020
Response via : Initial Calibration

