

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU031220\
 Data File : VU037212.D
 Acq On : 13 Mar 2020 00:35
 Operator : JC/MD
 Sample : L1886-03
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0NA3

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031220WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.613	78	85	98	rVB	211571	225151	13.46%	1.724%
2	1.928	175	183	195	rVB	173192	224832	13.45%	1.722%
3	2.591	377	389	403	rBV	315917	523907	31.33%	4.012%
4	3.018	519	522	526	rBV	492	367	0.02%	0.003%
5	3.073	534	539	541	rBV3	885	764	0.05%	0.006%
6	3.131	554	557	560	rVB	336	183	0.01%	0.001%
7	3.150	560	563	566	rBV2	313	263	0.02%	0.002%
8	3.221	571	585	600	rBV2	11661	26358	1.58%	0.202%
9	3.317	614	615	616	rBV2	265	100	0.01%	0.001%
10	3.366	623	630	633	rBV2	632	662	0.04%	0.005%
11	3.446	653	655	659	rBV2	221	158	0.01%	0.001%
12	3.469	660	662	665	rVV	311	173	0.01%	0.001%
13	3.555	687	689	695	rVB	390	262	0.02%	0.002%
14	3.584	695	698	700	rBV	192	142	0.01%	0.001%
15	3.655	716	720	722	rBV	305	266	0.02%	0.002%
16	3.726	740	742	746	rVB	294	199	0.01%	0.002%
17	3.745	746	748	750	rBV	122	75	0.00%	0.001%
18	3.764	751	754	759	rVB	385	288	0.02%	0.002%
19	3.797	759	764	767	rBV2	292	308	0.02%	0.002%
20	3.870	784	787	790	rBV	207	108	0.01%	0.001%
21	3.887	790	792	796	rVV	196	142	0.01%	0.001%
22	3.925	800	804	805	rBV	166	87	0.01%	0.001%
23	3.938	806	808	809	rBV	221	59	0.00%	0.000%
24	3.977	818	820	821	rBV2	228	76	0.00%	0.001%
25	4.034	836	838	839	rVB	119	45	0.00%	0.000%
26	4.051	839	843	846	rBV	308	266	0.02%	0.002%
27	4.115	859	863	866	rBV2	307	289	0.02%	0.002%
28	4.153	870	875	876	rBV2	275	205	0.01%	0.002%
29	4.192	884	887	889	rBV	257	130	0.01%	0.001%
30	4.266	906	910	912	rBV	305	293	0.02%	0.002%
31	4.314	922	925	929	rBV	239	160	0.01%	0.001%
32	4.411	948	955	958	rBV2	337	472	0.03%	0.004%
33	4.504	982	984	985	rBV	360	146	0.01%	0.001%
34	4.591	1008	1011	1012	rBV	322	194	0.01%	0.001%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU031220\
 Data File : VU037212.D
 Acq On : 13 Mar 2020 00:35
 Operator : JC/MD
 Sample : L1886-03
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0NA3

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031220WMA.M
 Title : VOC Analysis

35	4.668	1019	1035	1058	rBV	181995	439911	26.31%	3.369%
36	4.928	1113	1116	1121	rBV3	451	406	0.02%	0.003%
37	5.102	1153	1170	1191	rBV	315078	692652	41.42%	5.304%
38	5.308	1232	1234	1235	rBV	542	206	0.01%	0.002%
39	5.321	1235	1238	1239	rBV3	743	396	0.02%	0.003%
40	5.366	1251	1252	1255	rVB2	307	102	0.01%	0.001%
41	5.427	1269	1271	1274	rBV	260	146	0.01%	0.001%
42	5.452	1274	1279	1288	rVB3	682	778	0.05%	0.006%
43	5.494	1288	1292	1293	rBV	344	261	0.02%	0.002%
44	5.600	1322	1325	1327	rBV	231	157	0.01%	0.001%
45	5.613	1327	1329	1332	rVV2	231	124	0.01%	0.001%
46	5.677	1344	1349	1353	rVB2	755	453	0.03%	0.003%
47	5.761	1353	1375	1395	rBV2	620638	1672229	100.00%	12.805%
48	6.063	1467	1469	1472	rBV	741	560	0.03%	0.004%
49	6.282	1520	1537	1561	rBV	528652	1001159	59.87%	7.667%
50	6.414	1576	1578	1581	rBV	556	459	0.03%	0.004%
51	6.568	1618	1626	1636	rVB9	4918	9691	0.58%	0.074%
52	6.722	1658	1674	1697	rBV	400835	782274	46.78%	5.990%
53	6.973	1749	1752	1755	rBV3	566	469	0.03%	0.004%
54	6.989	1755	1757	1763	rVB	617	500	0.03%	0.004%
55	7.021	1765	1767	1768	rBV	415	178	0.01%	0.001%
56	7.070	1779	1782	1784	rBV2	511	299	0.02%	0.002%
57	7.105	1789	1793	1796	rVB2	279	223	0.01%	0.002%
58	7.121	1796	1798	1800	rBV	262	152	0.01%	0.001%
59	7.179	1810	1816	1820	rBV2	544	669	0.04%	0.005%
60	7.205	1820	1824	1827	rBV2	950	763	0.05%	0.006%
61	7.243	1832	1836	1840	rVB	717	558	0.03%	0.004%
62	7.272	1842	1845	1846	rBV	348	191	0.01%	0.001%
63	7.510	1917	1919	1922	rBV	254	163	0.01%	0.001%
64	7.523	1922	1923	1924	rBV	228	68	0.00%	0.001%
65	7.594	1932	1945	1961	rBV	220295	394035	23.56%	3.017%
66	7.922	2033	2047	2067	rBV	758889	1327918	79.41%	10.169%
67	8.205	2123	2135	2153	rBV	164615	280560	16.78%	2.148%
68	8.478	2217	2220	2221	rBV2	417	271	0.02%	0.002%
69	8.610	2257	2261	2263	rBV2	460	351	0.02%	0.003%
70	8.658	2263	2276	2304	rBV	506665	987089	59.03%	7.559%
71	8.861	2337	2339	2340	rBV	269	122	0.01%	0.001%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU031220\
 Data File : VU037212.D
 Acq On : 13 Mar 2020 00:35
 Operator : JC/MD
 Sample : L1886-03
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 CONA3

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031220WMA.M
 Title : VOC Analysis

72	8.912	2352	2355	2357	rBV2	430	324	0.02%	0.002%
73	8.944	2362	2365	2366	rBV	381	225	0.01%	0.002%
74	8.986	2376	2378	2380	rBV	222	88	0.01%	0.001%
75	9.111	2415	2417	2423	rVB2	635	365	0.02%	0.003%
76	9.150	2427	2429	2430	rBV	215	59	0.00%	0.000%
77	9.185	2438	2440	2443	rVB2	860	332	0.02%	0.003%
78	9.246	2456	2459	2464	rBV2	499	505	0.03%	0.004%
79	9.272	2464	2467	2469	rBV	361	193	0.01%	0.001%
80	9.285	2469	2471	2473	rBV	410	253	0.02%	0.002%
81	9.336	2485	2487	2488	rBV	338	107	0.01%	0.001%
82	9.436	2505	2518	2542	rBV	756524	1266370	75.73%	9.697%
83	9.571	2558	2560	2562	rBV	442	313	0.02%	0.002%
84	9.899	2657	2662	2665	rBV2	526	572	0.03%	0.004%
85	10.050	2707	2709	2712	rBV2	362	147	0.01%	0.001%
86	10.282	2778	2781	2782	rBV	241	131	0.01%	0.001%
87	10.494	2845	2847	2850	rVB3	466	286	0.02%	0.002%
88	10.671	2899	2902	2903	rBV	268	164	0.01%	0.001%
89	10.774	2921	2934	2954	rBV	545685	894915	53.52%	6.853%
90	10.890	2968	2970	2971	rBV	481	200	0.01%	0.002%
91	11.426	3133	3137	3139	rBV2	586	446	0.03%	0.003%
92	11.828	3249	3262	3282	rVB	652369	1080988	64.64%	8.278%
93	12.208	3366	3380	3399	rBV	737009	1208104	72.25%	9.251%


Sum of corrected areas: 13058760

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU031220\
Data File : VU037212.D
Acq On : 13 Mar 2020 00:35
Operator : JC/MD
Sample : L1886-03
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 32 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0NA3

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031220WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU031220\
Data File : VU037212.D
Acq On : 13 Mar 2020 00:35
Operator : JC/MD
Sample : L1886-03
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 32 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0NA3

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031220WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU031220\
Data File : VU037212.D
Acq On : 13 Mar 2020 00:35
Operator : JC/MD
Sample : L1886-03
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 32 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0NA3

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031220WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc