

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU072120\
 Data File : VU039598.D
 Acq On : 21 Jul 2020 15:47
 Operator : SY/MD
 Sample : L3348-12
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 GAXZ4

Quant Time: Jul 22 02:43:11 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR072120WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Jul 22 02:01:33 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.27	114	104195	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	98437	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	45845	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	32407	6.70	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	134.00%#
7) Chloroethane-d5	1.93	69	30264	5.73	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	114.60%
11) 1,1-Dichloroethene-d2	2.58	63	50566	4.65	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	93.00%
20) 2-Butanone-d5	4.66	46	113805	52.17	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	104.34%
24) Chloroform-d	5.09	84	65734	5.36	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	107.20%
26) 1,2-Dichloroethane-d4	5.72	65	41366	5.11	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	102.20%
32) Benzene-d6	5.74	84	127989	5.41	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	108.20%
36) 1,2-Dichloropropane-d6	6.70	67	41852	5.37	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	107.40%
41) Toluene-d8	7.91	98	116040	5.17	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	103.40%
43) trans-1,3-Dichloropropene-	8.19	79	17195	5.08	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	101.60%
46) 2-Hexanone-d5	8.64	63	81908	49.47	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	98.94%
57) 1,1,2,2-Tetrachloroethane-	10.76	84	35083	4.85	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	97.00%
64) 1,2-Dichlorobenzene-d4	12.19	152	42992	5.22	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	104.40%

Target Compounds					Qvalue
51) Chlorobenzene	9.45	112	4530	0.273 ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU072120\
Data File : VU039598.D
Acq On : 21 Jul 2020 15:47
Operator : SY/MD
Sample : L3348-12
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
GAXZ4

Quant Time: Jul 22 02:43:11 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR072120WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Jul 22 02:01:33 2020
Response via : Initial Calibration

