

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU021823\
 Data File : VU053135.D
 Acq On : 18 Feb 2023 15:37
 Operator : JC/MD
 Sample : 01612-08
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 COM90

Quant Time: Feb 19 23:28:49 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR021023WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sun Feb 19 23:26:18 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.244	114	147787	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.415	117	129480	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	60695	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.598	65	25593	3.615	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	72.200%
7) Chloroethane-d5	1.913	69	29582	4.445	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	89.000%
11) 1,1-Dichloroethene-d2	2.566	65	12897	3.971	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	79.400%
20) 2-Butanone-d5	4.633	46	123306	56.867	ug/L	-0.02
Spiked Amount	50.000	Range	40 - 130	Recovery	=	113.740%
24) Chloroform-d	5.058	84	77414	4.752	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.000%
26) 1,2-Dichloroethane-d4	5.698	65	40610	4.947	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	99.000%
32) Benzene-d6	5.723	84	141120	4.850	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	97.000%
36) 1,2-Dichloropropane-d6	6.688	67	51558	5.088	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	101.800%
41) Toluene-d8	7.894	98	122412	4.657	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	93.200%
43) trans-1,3-Dichloroprop...	8.177	79	19008	4.633	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	92.600%
46) 2-Hexanone-d5	8.630	63	96446	52.952	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	105.900%
56) 1,1,2,2-Tetrachloroeth...	10.752	84	44732	5.140	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	102.800%
66) 1,2-Dichlorobenzene-d4	12.189	152	46415	5.119	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	102.400%
Target Compounds						
					Qvalue	
34) Trichloroethene	6.537	95	10682	1.017	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU021823\
Data File : VU053135.D
Acq On : 18 Feb 2023 15:37
Operator : JC/MD
Sample : 01612-08
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
COM90

Quant Time: Feb 19 23:28:49 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR021023WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sun Feb 19 23:26:18 2023
Response via : Initial Calibration

