

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU093022\
 Data File : VU051030.D
 Acq On : 30 Sep 2022 13:52
 Operator : JC/MD
 Sample : N4854-08 100X
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F5J25

Quant Time: Oct 01 01:25:55 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM092922WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Oct 01 01:23:58 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.250	114	411618	50.000	ug/L	0.00
28) Chlorobenzene-d5	9.417	117	410466	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.809	152	146265	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.597	65	177259	42.493	ug/L	0.00
Spiked Amount	50.000	Range 60 - 135	Recovery	=	84.980%	
7) Chloroethane-d5	1.906	69	156012	40.261	ug/L	0.00
Spiked Amount	50.000	Range 70 - 130	Recovery	=	80.520%	
11) 1,1-Dichloroethene-d2	2.565	63	224859	36.491	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	72.980%	
21) 2-Butanone-d5	4.620	46	273777	101.189	ug/L	0.00
Spiked Amount	100.000	Range 40 - 130	Recovery	=	101.190%	
24) Chloroform-d	5.060	84	323163	48.084	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	96.160%	
26) 1,2-Dichloroethane-d4	5.700	65	210192	50.527	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	101.060%	
32) Benzene-d6	5.726	84	639895	53.236	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	106.480%	
36) 1,2-Dichloropropane-d6	6.690	67	217012	55.639	ug/L	0.00
Spiked Amount	50.000	Range 70 - 120	Recovery	=	111.280%	
41) Toluene-d8	7.896	98	517821	46.627	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	93.260%	
43) trans-1,3-Dichloroprop...	8.179	79	86111	46.287	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	92.580%	
47) 2-Hexanone-d5	8.632	63	136569	86.715	ug/L	0.00
Spiked Amount	100.000	Range 45 - 130	Recovery	=	86.720%	
56) 1,1,2,2-Tetrachloroeth...	10.755	84	312352	45.822	ug/L	0.00
Spiked Amount	50.000	Range 65 - 120	Recovery	=	91.640%	
66) 1,2-Dichlorobenzene-d4	12.192	152	165386	52.930	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	105.860%	
Target Compounds						
					Qvalue	
46) Tetrachloroethene	8.552	164	17282	7.036	ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU093022\
Data File : VU051030.D
Acq On : 30 Sep 2022 13:52
Operator : JC/MD
Sample : N4854-08 100X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F5J25

Quant Time: Oct 01 01:25:55 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM092922WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Oct 01 01:23:58 2022
Response via : Initial Calibration





#46
Tetrachloroethene
Concen: 7.036 ug/L
RT: 8.552 min Scan# 21
Delta R.T. 0.000 min
Lab File: VU051030.D
Acq: 30 Sep 2022 13:52

Instrument :
MSVOA_U
ClientSampleId :
F5J25

Tgt Ion:	164	Resp:	17282
Ion	Ratio	Lower	Upper
164	100		
129	89.6	68.1	126.5
131	91.9	67.8	126.0
166	121.8	90.5	168.1

