

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU100722\
 Data File : VU051244.D
 Acq On : 08 Oct 2022 02:24
 Operator : JC/MD
 Sample : VU1007WBL02
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK107

Quant Time: Oct 08 05:40:52 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR100722WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat Oct 08 05:40:36 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.250	114	165793	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.417	117	185782	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	63994	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.597	65	69031	5.162	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	103.200%
7) Chloroethane-d5	1.912	69	63866	5.558	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	111.200%
11) 1,1-Dichloroethene-d2	2.565	65	26969	5.101	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	102.000%
20) 2-Butanone-d5	4.639	46	175314	59.541	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	119.080%
24) Chloroform-d	5.063	84	137469	5.514	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	110.200%
26) 1,2-Dichloroethane-d4	5.700	65	74998	5.833	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	116.600%
32) Benzene-d6	5.726	84	250401	4.899	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	98.000%
36) 1,2-Dichloropropane-d6	6.690	67	89054	5.131	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	102.600%
41) Toluene-d8	7.899	98	189863	4.152	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	83.000%
43) trans-1,3-Dichloroprop...	8.179	79	26124	4.581	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	91.600%
46) 2-Hexanone-d5	8.636	63	90227	46.946	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	93.900%
56) 1,1,2,2-Tetrachloroeth...	10.754	84	72376	5.220	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	104.400%
66) 1,2-Dichlorobenzene-d4	12.192	152	60630	5.451	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	109.000%
Target Compounds						
16) Methylene chloride	3.041	84	5172	0.290	ug/L	Qvalue 95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU100722\
Data File : VU051244.D
Acq On : 08 Oct 2022 02:24
Operator : JC/MD
Sample : VU1007WBL02
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 35 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK107

Quant Time: Oct 08 05:40:52 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR100722WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Oct 08 05:40:36 2022
Response via : Initial Calibration

