

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU100722\
 Data File : VU051252.D
 Acq On : 08 Oct 2022 05:42
 Operator : JC/MD
 Sample : N4899-09
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 43 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F5H54

Quant Time: Oct 08 23:48:01 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR100722WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat Oct 08 05:40:36 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.250	114	151234	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.417	117	175295	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	59623	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.597	65	59351	4.865	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	97.400%	
7) Chloroethane-d5	1.909	69	56484	5.389	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	107.800%	
11) 1,1-Dichloroethene-d2	2.562	65	22702	4.708	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	94.200%	
20) 2-Butanone-d5	4.620	46	160229	59.657	ug/L	-0.02
Spiked Amount	50.000	Range 40 - 130	Recovery	=	119.320%	
24) Chloroform-d	5.063	84	128740	5.661	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	113.200%	
26) 1,2-Dichloroethane-d4	5.700	65	69129	5.894	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	117.800%	
32) Benzene-d6	5.726	84	226827	4.704	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	94.000%	
36) 1,2-Dichloropropane-d6	6.690	67	82586	5.043	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	100.800%	
41) Toluene-d8	7.896	98	170958	3.962	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	79.200%	
43) trans-1,3-Dichloroprop...	8.179	79	23548	4.376	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	87.600%	
46) 2-Hexanone-d5	8.632	63	87759	48.394	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	96.780%	
56) 1,1,2,2-Tetrachloroeth...	10.754	84	73015	5.581	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	111.600%	
66) 1,2-Dichlorobenzene-d4	12.192	152	55579	5.363	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	107.200%	
Target Compounds						
					Qvalue	
47) Tetrachloroethene	8.552	164	12159	1.133	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU100722\
Data File : VU051252.D
Acq On : 08 Oct 2022 05:42
Operator : JC/MD
Sample : N4899-09
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 43 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F5H54

Quant Time: Oct 08 23:48:01 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR100722WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Oct 08 05:40:36 2022
Response via : Initial Calibration

