

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU100722\
 Data File : VU051225.D
 Acq On : 07 Oct 2022 18:08
 Operator : JC/MD
 Sample : N4873-11
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK001

Quant Time: Oct 08 04:27:35 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR100722WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat Oct 08 00:50:53 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.250	114	180334	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.417	117	195628	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	67256	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.594	65	69644	4.788	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	95.800%
7) Chloroethane-d5	1.909	69	63996	5.120	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	102.400%
11) 1,1-Dichloroethene-d2	2.562	65	26057	4.531	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	90.600%
20) 2-Butanone-d5	4.633	46	171432	53.528	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	107.060%
24) Chloroform-d	5.063	84	136953	5.050	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	101.000%
26) 1,2-Dichloroethane-d4	5.700	65	73296	5.241	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	104.800%
32) Benzene-d6	5.726	84	254688	4.733	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.600%
36) 1,2-Dichloropropane-d6	6.690	67	92177	5.043	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	100.800%
41) Toluene-d8	7.896	98	197201	4.096	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	82.000%
43) trans-1,3-Dichloroprop...	8.182	79	27957	4.656	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	93.200%
46) 2-Hexanone-d5	8.636	63	96532	47.699	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	95.400%
56) 1,1,2,2-Tetrachloroeth...	10.755	84	72939	4.996	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	100.000%
66) 1,2-Dichlorobenzene-d4	12.192	152	63389	5.423	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	108.400%
Target Compounds						Qvalue
16) Methylene chloride	3.041	84	6245	0.322	ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU100722\
Data File : VU051225.D
Acq On : 07 Oct 2022 18:08
Operator : JC/MD
Sample : N4873-11
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK001

Quant Time: Oct 08 04:27:35 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR100722WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Oct 08 00:50:53 2022
Response via : Initial Calibration





#16
Methylene chloride
Concen: 0.322 ug/L
RT: 3.041 min Scan# 51
Delta R.T. 0.000 min
Lab File: VU051225.D
Acq: 07 Oct 2022 18:08

Instrument :
MSVOA_U
ClientSampleId :
VHBLK001

Tgt Ion:	84	Resp:	6245
Ion	Ratio	Lower	Upper
84	100		
86	66.3	46.5	86.3
49	114.4	81.3	151.1

