

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU100722\
 Data File : VU051269.D
 Acq On : 08 Oct 2022 13:56
 Operator : JC/MD
 Sample : VU1007WBL03
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 61 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK108

Quant Time: Oct 08 23:50:05 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR100722WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat Oct 08 05:40:36 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.250	114	185993	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.417	117	212117	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	77352	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.597	65	70848	4.722	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	94.400%
7) Chloroethane-d5	1.912	69	65864	5.109	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	102.200%
11) 1,1-Dichloroethene-d2	2.565	65	28011	4.723	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	94.400%
20) 2-Butanone-d5	4.642	46	162876	49.309	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	98.620%
24) Chloroform-d	5.063	84	139500	4.987	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	99.800%
26) 1,2-Dichloroethane-d4	5.703	65	73175	5.073	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	101.400%
32) Benzene-d6	5.726	84	252646	4.330	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	86.600%
36) 1,2-Dichloropropane-d6	6.690	67	91056	4.595	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	91.800%
41) Toluene-d8	7.896	98	189992	3.639	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	72.800%
43) trans-1,3-Dichloroprop...	8.179	79	23288	3.577	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	71.600%
46) 2-Hexanone-d5	8.635	63	79961	36.439	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	72.880%
56) 1,1,2,2-Tetrachloroeth...	10.754	84	70628	4.461	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	89.200%
66) 1,2-Dichlorobenzene-d4	12.192	152	65343	4.860	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	97.200%
Target Compounds						
					Qvalue	
16) Methylene chloride	3.044	84	5670	0.283	ug/L	91


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU100722\
Data File : VU051269.D
Acq On : 08 Oct 2022 13:56
Operator : JC/MD
Sample : VU1007WBL03
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 61 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK108

Quant Time: Oct 08 23:50:05 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR100722WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Oct 08 05:40:36 2022
Response via : Initial Calibration





#16
Methylene chloride
Concen: 0.283 ug/L
RT: 3.044 min Scan# 51
Delta R.T. 0.003 min
Lab File: VU051269.D
Acq: 08 Oct 2022 13:56

Instrument :
MSVOA_U
ClientSampleId :
VBLK108

Tgt Ion:	84	Resp:	5670
Ion	Ratio	Lower	Upper
84	100		
86	57.2	46.5	86.3
49	107.5	81.3	151.1

