

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU101122\
 Data File : VU051371.D
 Acq On : 11 Oct 2022 14:48
 Operator : JC/MD
 Sample : N5026-09
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 COBX7

Quant Time: Oct 11 23:37:34 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR100722WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Oct 11 23:36:07 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.247	114	189917	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.417	117	217151	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.809	152	82192	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.597	65	48211	3.147	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	63.000%
7) Chloroethane-d5	1.912	69	46746	3.551	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	71.000%
11) 1,1-Dichloroethene-d2	2.565	65	20771	3.430	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	68.600%
20) 2-Butanone-d5	4.620	46	173120	51.327	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	102.660%
24) Chloroform-d	5.060	84	134617	4.713	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.200%
26) 1,2-Dichloroethane-d4	5.700	65	71002	4.821	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	96.400%
32) Benzene-d6	5.726	84	228769	3.830	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	76.600%
36) 1,2-Dichloropropane-d6	6.690	67	87883	4.332	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	86.600%
41) Toluene-d8	7.896	98	168623	3.155	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	63.200%#
43) trans-1,3-Dichloroprop...	8.179	79	25436	3.816	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	76.400%
46) 2-Hexanone-d5	8.632	63	88360	39.333	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	78.660%
56) 1,1,2,2-Tetrachloroeth...	10.755	84	75299	4.646	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	93.000%
66) 1,2-Dichlorobenzene-d4	12.192	152	64357	4.505	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	90.000%
Target Compounds						
					Qvalue	
13) Acetone	2.626	43	9991	3.949	ug/L	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU101122\
Data File : VU051371.D
Acq On : 11 Oct 2022 14:48
Operator : JC/MD
Sample : N5026-09
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0BX7

Quant Time: Oct 11 23:37:34 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR100722WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Tue Oct 11 23:36:07 2022
Response via : Initial Calibration





#13
 Acetone
 Concen: 3.949 ug/L
 RT: 2.626 min Scan# 40
 Delta R.T. -0.006 min
 Lab File: VU051371.D
 Acq: 11 Oct 2022 14:48

Instrument :
 MSVOA_U
 ClientSampleId :
 C0BX7

Tgt Ion: 43 Resp: 9991
 Ion Ratio Lower Upper
 43 100
 58 34.4 0.0 68.8

