

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112222\
 Data File : VU052067.D
 Acq On : 23 Nov 2022 03:57
 Operator : JC/MD
 Sample : N5693-01DL 20X
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 GBN84DL

Manual Integrations
 APPROVED

Reviewed By :Krupa Patel 11/23/2022
 Supervised By :Mahesh Dadoda 11/25/2022

Quant Time: Nov 23 08:25:48 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111822WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat Nov 19 21:39:41 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.247	114	218855	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.414	117	225943	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.809	152	82210	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.597	65	94918	4.459	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	89.200%
7) Chloroethane-d5	1.912	69	80539	4.871	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	97.400%
11) 1,1-Dichloroethene-d2	2.565	65	35085	4.598	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	92.000%
20) 2-Butanone-d5	4.639	46	222241	57.594	ug/L	0.02
Spiked Amount	50.000	Range	40 - 130	Recovery	=	115.180%
24) Chloroform-d	5.063	84	165903	5.304	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	106.000%
26) 1,2-Dichloroethane-d4	5.700	65	86405	5.469	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	109.400%
32) Benzene-d6	5.726	84	343136	5.115	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	102.400%
36) 1,2-Dichloropropane-d6	6.690	67	111716	5.382	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	107.600%
41) Toluene-d8	7.896	98	268833	4.430	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	88.600%
43) trans-1,3-Dichloroprop...	8.179	79	35342	4.672	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	93.400%
46) 2-Hexanone-d5	8.632	63	157705	49.192	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	98.380%
56) 1,1,2,2-Tetrachloroeth...	10.754	84	91445	5.081	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	101.600%
66) 1,2-Dichlorobenzene-d4	12.192	152	88590	5.628	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	112.600%
Target Compounds					Qvalue	
13) Acetone	2.655	43	13971m	5.332	ug/L	
16) Methylene chloride	3.044	84	21566	1.004	ug/L	96
22) cis-1,2-Dichloroethene	4.665	96	20345	1.139	ug/L	92
34) Trichloroethene	6.539	95	121214	6.609	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112222\
Data File : VU052067.D
Acq On : 23 Nov 2022 03:57
Operator : JC/MD
Sample : N5693-01DL 20X
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 29 Sample Multiplier: 1


Instrument :
MSVOA_U
ClientSampleId :
GBN84DL

Quant Time: Nov 23 08:25:48 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111822WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Nov 19 21:39:41 2022
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Krupa Patel 11/23/2022
Supervised By :Mahesh Dadoda 11/25/2022









#13
Acetone
Concen: 5.332 ug/L m
RT: 2.655 min Scan# 409
Delta R.T. 0.035 min
Lab File: VU052067.D
Acq: 23 Nov 2022 03:57

Instrument :
MSVOA_U
ClientSampleId :
GBN84DL

Tgt Ion: 43 Resp: 1397
Ion Ratio Lower Upper
43 100
58 37.1 0.0 76.0




Manual Integrations
APPROVED


Reviewed By :Krupa Patel 11/23/2022
Supervised By :Mahesh Dadoda 11/25/2022



#16
Methylene chloride
Concen: 1.004 ug/L
RT: 3.044 min Scan# 530
Delta R.T. -0.000 min
Lab File: VU052067.D
Acq: 23 Nov 2022 03:57

Tgt Ion: 84 Resp: 21566
Ion Ratio Lower Upper
84 100
86 61.8 43.8 81.4
49 115.0 75.9 141.1





#22

cis-1,2-Dichloroethene

Concen: 1.139 ug/L

RT: 4.665 min Scan# 1034

Delta R.T. -0.000 min

Lab File: VU052067.D


Acq: 23 Nov 2022 03:57

Instrument :

MSVOA_U

ClientSampleId :

GBN84DL



Tgt Ion: 96 Resp: 2034




Ion	Ratio	Lower	Upper
96	100		
61	126.9	85.1	158.1
98	71.4	42.8	79.6

Manual Integrations

APPROVED

Reviewed By :Krupa Patel 11/23/2022

Supervised By :Mahesh Dadoda 11/25/2022



#34

Trichloroethene

Concen: 6.609 ug/L

RT: 6.539 min Scan# 1617

Delta R.T. -0.000 min

Lab File: VU052067.D

Acq: 23 Nov 2022 03:57

Tgt Ion: 95 Resp: 121214

Ion	Ratio	Lower	Upper
95	100		
97	63.5	43.7	81.1
132	94.7	64.3	119.3
130	97.9	67.3	124.9

