

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU011420\
 Data File : VU036456.D
 Acq On : 14 Jan 2020 21:59
 Operator : JC/MD
 Sample : VU0114WBL01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK39

Quant Time: Jan 15 00:55:14 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM011420WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jan 15 00:18:03 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	487907	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	449594	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	171869	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	152303	48.15	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	96.30%
7) Chloroethane-d5	1.93	69	133473	48.74	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	97.48%
11) 1,1-Dichloroethene-d2	2.59	63	230988	38.03	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	76.06%
21) 2-Butanone-d5	4.68	46	284530	104.62	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	104.62%
24) Chloroform-d	5.11	84	301470	47.87	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.74%
26) 1,2-Dichloroethane-d4	5.75	65	214441	51.22	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.44%
32) Benzene-d6	5.77	84	620097	52.74	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	105.48%
36) 1,2-Dichloropropane-d6	6.73	67	200805	52.51	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	105.02%
41) Toluene-d8	7.93	98	584448	52.55	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	105.10%
43) trans-1,3-Dichloropropene-	8.21	79	101735	49.39	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	98.78%
47) 2-Hexanone-d5	8.67	63	210070	107.20	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	107.20%
57) 1,1,2,2-Tetrachloroethane-	10.78	84	285511	49.64	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	99.28%
64) 1,2-Dichlorobenzene-d4	12.22	152	173950	51.38	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.76%

Target Compounds					Ovalue
13) Acetone	2.66	43	9505	3.229 ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU011420\
Data File : VU036456.D
Acq On : 14 Jan 2020 21:59
Operator : JC/MD
Sample : VU0114WBL01
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK39

Quant Time: Jan 15 00:55:14 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM011420WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Jan 15 00:18:03 2020
Response via : Initial Calibration

