

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU011420\
 Data File : VU036457.D
 Acq On : 14 Jan 2020 22:24
 Operator : JC/MD
 Sample : L1117-01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFRB3

Quant Time: Jan 15 00:58:31 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM011420WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jan 15 00:18:03 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	477569	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	446636	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.84	152	162035	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	184271	59.51	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	119.02%		
7) Chloroethane-d5	1.93	69	154975	57.82	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	115.64%		
11) 1,1-Dichloroethene-d2	2.59	63	260313	43.79	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	87.58%		
21) 2-Butanone-d5	4.68	46	285146	107.12	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	107.12%		
24) Chloroform-d	5.11	84	334981	54.34	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	108.68%		
26) 1,2-Dichloroethane-d4	5.75	65	230797	56.32	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	112.64%		
32) Benzene-d6	5.77	84	668387	57.22	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	114.44%		
36) 1,2-Dichloropropane-d6	6.73	67	213654	56.24	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	112.48%		
41) Toluene-d8	7.93	98	617494	55.89	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	111.78%		
43) trans-1,3-Dichloropropene-	8.21	79	112276	54.86	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	109.72%		
47) 2-Hexanone-d5	8.67	63	203311	104.44	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	104.44%		
57) 1,1,2,2-Tetrachloroethane-	10.78	84	308193	53.94	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	107.88%		
64) 1,2-Dichlorobenzene-d4	12.22	152	179412	56.21	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	112.42%		


Target Compounds					Ovalue
13) Acetone	2.66	43	11825	4.104 ug/L	73


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU011420\
Data File : VU036457.D
Acq On : 14 Jan 2020 22:24
Operator : JC/MD
Sample : L1117-01
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BFRB3

Quant Time: Jan 15 00:58:31 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM011420WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Jan 15 00:18:03 2020
Response via : Initial Calibration





#13

Acetone

Concen: 4.104 ug/L

RT: 2.66 min Scan# 411

Delta R.T. 0.00 min

Lab File: VU036457.D

Acq: 14 Jan 2020 22:24

Instrument :
MSVOA_U
ClientSampleId :
BFRB3

Tot Ion: 43 Resp: 11825

Ion Ratio Lower Upper

43 100

58 17.1 0.0 65.0

