

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU012424\
 Data File : VU057617.D
 Acq On : 24 Jan 2024 14:33
 Operator : MD/SY
 Sample : P1228-09
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0BC7

Quant Time: Jan 25 01:54:03 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR012324WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Jan 25 01:52:13 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	58810	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	52859	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	24505	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.599	65	15673	4.837	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	96.800%
7) Chloroethane-d5	1.914	69	13317	4.905	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	98.000%
11) 1,1-Dichloroethene-d2	2.563	65	7486	4.913	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	98.200%
20) 2-Butanone-d5	4.641	46	34382	56.247	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	112.500%
24) Chloroform-d	5.055	84	32909	5.004	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	100.000%
26) 1,2-Dichloroethane-d4	5.698	65	15886	5.315	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	106.400%
32) Benzene-d6	5.721	84	65558	5.287	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	105.800%
36) 1,2-Dichloropropane-d6	6.685	67	19977	5.342	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	106.800%
41) Toluene-d8	7.894	98	61189	5.199	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	104.000%
43) trans-1,3-Dichloroprop...	8.177	79	7688	5.158	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	103.200%
46) 2-Hexanone-d5	8.631	63	26208	55.110	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	110.220%
56) 1,1,2,2-Tetrachloroeth...	10.750	84	12923	5.155	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	103.200%
66) 1,2-Dichlorobenzene-d4	12.187	152	19454	5.657	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	113.200%
Target Compounds						
					Qvalue	
47) Tetrachloroethene	8.550	164	3604	0.981	ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU012424\
Data File : VU057617.D
Acq On : 24 Jan 2024 14:33
Operator : MD/SY
Sample : P1228-09
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0BC7

Quant Time: Jan 25 01:54:03 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR012324WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Jan 25 01:52:13 2024
Response via : Initial Calibration





#47
 Tetrachloroethene
 Concen: 0.981 ug/L
 RT: 8.550 min Scan# 21
 Delta R.T. 0.000 min
 Lab File: VU057617.D
 Acq: 24 Jan 2024 14:33

Instrument :
 MSVOA_U
 ClientSampleId :
 C0BC7

Tgt	Ion:164	Resp:	3604
Ion	Ratio	Lower	Upper
164	100		
129	100.8	71.3	132.5
131	103.2	68.1	126.5
166	133.2	87.4	162.4

