

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU012524\
 Data File : VU057659.D
 Acq On : 25 Jan 2024 11:34
 Operator : MD/SY
 Sample : P1227-13
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0B89

Quant Time: Jan 25 20:07:13 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR012324WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Jan 25 04:41:48 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	68671	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	61071	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	28384	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	12949	3.422	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	68.400%	
7) Chloroethane-d5	1.914	69	11556	3.645	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	73.000%	
11) 1,1-Dichloroethene-d2	2.563	65	6452	3.627	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	72.600%	
20) 2-Butanone-d5	4.634	46	32703	45.817	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	91.640%	
24) Chloroform-d	5.055	84	29650	3.861	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	77.200%	
26) 1,2-Dichloroethane-d4	5.695	65	14714	4.216	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	84.400%	
32) Benzene-d6	5.721	84	58306	4.070	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	81.400%	
36) 1,2-Dichloropropane-d6	6.685	67	18346	4.246	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	85.000%	
41) Toluene-d8	7.894	98	53644	3.945	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	78.800%	
43) trans-1,3-Dichloroprop...	8.177	79	6666	3.871	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	77.400%	
46) 2-Hexanone-d5	8.631	63	24495	44.582	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	89.160%	
56) 1,1,2,2-Tetrachloroeth...	10.753	84	12128	4.187	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	83.800%	
66) 1,2-Dichlorobenzene-d4	12.190	152	17319	4.348	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	87.000%	

Target Compounds						Qvalue
47) Tetrachloroethene	8.550	164	1948	0.459	ug/L	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU012524\
 Data File : VU057659.D
 Acq On : 25 Jan 2024 11:34
 Operator : MD/SY
 Sample : P1227-13
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0B89

Quant Time: Jan 25 20:07:13 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR012324WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Jan 25 04:41:48 2024
 Response via : Initial Calibration

