

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU020122\
 Data File : VU046955.D
 Acq On : 01 Feb 2022 11:13
 Operator : SY/MD
 Sample : N1328-08
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0HM7

Quant Time: Feb 02 02:03:06 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR011822WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Feb 02 02:02:08 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.253	114	112930	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.420	117	127844	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.816	152	53529	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.604	65	50902	5.319	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	106.400%
7) Chloroethane-d5	1.922	69	40519	5.374	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	107.400%
11) 1,1-Dichloroethene-d2	2.578	65	19590	5.147	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	103.000%
20) 2-Butanone-d5	4.649	46	112304	39.615	ug/L	-0.01
Spiked Amount	50.000	Range	40 - 130	Recovery	=	79.220%
24) Chloroform-d	5.070	84	78862	4.694	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	93.800%
26) 1,2-Dichloroethane-d4	5.707	65	45588	4.983	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	99.600%
32) Benzene-d6	5.732	84	155531	4.139	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	82.800%
36) 1,2-Dichloropropane-d6	6.697	67	50371	4.465	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	89.200%
41) Toluene-d8	7.903	98	120393	3.501	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	70.000%
43) trans-1,3-Dichloroprop...	8.182	79	18935	3.822	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	76.400%
46) 2-Hexanone-d5	8.639	63	110730	37.746	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	75.500%
56) 1,1,2,2-Tetrachloroeth...	10.758	84	46981	4.148	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	83.000%
66) 1,2-Dichlorobenzene-d4	12.195	152	43530	4.336	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	86.800%
Target Compounds						Qvalue
3) Chloromethane	1.527	50	4609	0.527	ug/L	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU020122\
Data File : VU046955.D
Acq On : 01 Feb 2022 11:13
Operator : SY/MD
Sample : N1328-08
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0HM7

Quant Time: Feb 02 02:03:06 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR011822WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Feb 02 02:02:08 2022
Response via : Initial Calibration

