

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU020122\
 Data File : VU046970.D
 Acq On : 01 Feb 2022 17:52
 Operator : SY/MD
 Sample : VIBLK031
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VIBLK031

Quant Time: Feb 02 02:06:15 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR011822WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Feb 02 02:02:08 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.253	114	98823	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.420	117	114030	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	47655	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.604	65	48098	5.744	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	114.800%
7) Chloroethane-d5	1.919	69	38175	5.786	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	115.800%
11) 1,1-Dichloroethene-d2	2.575	65	18308	5.496	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	110.000%
20) 2-Butanone-d5	4.639	46	111120	44.793	ug/L	-0.02
Spiked Amount	50.000	Range	40 - 130	Recovery	=	89.580%
24) Chloroform-d	5.066	84	77722	5.287	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	105.800%
26) 1,2-Dichloroethane-d4	5.706	65	42130	5.263	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	105.200%
32) Benzene-d6	5.732	84	147507	4.401	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	88.000%
36) 1,2-Dichloropropane-d6	6.693	67	48686	4.838	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	96.800%
41) Toluene-d8	7.902	98	114232	3.724	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	74.400%
43) trans-1,3-Dichloroprop...	8.182	79	17120	3.874	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	77.400%
46) 2-Hexanone-d5	8.635	63	91586	35.002	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	70.000%
56) 1,1,2,2-Tetrachloroeth...	10.758	84	41359	4.094	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	81.800%
66) 1,2-Dichlorobenzene-d4	12.195	152	40709	4.555	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	91.200%
Target Compounds						Qvalue
47) Tetrachloroethene	8.558	164	2434	0.429	ug/L	87

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU020122\
Data File : VU046970.D
Acq On : 01 Feb 2022 17:52
Operator : SY/MD
Sample : VIBLK031
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VIBLK031

Quant Time: Feb 02 02:06:15 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR011822WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Feb 02 02:02:08 2022
Response via : Initial Calibration

