

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU020122\
 Data File : VU046983.D
 Acq On : 01 Feb 2022 23:48
 Operator : SY/MD
 Sample : N1349-09 100X
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0HP8

Quant Time: Feb 02 04:08:20 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR011822WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Feb 02 03:49:05 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.253	114	96095	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.420	117	113423	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	47376	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.604	65	44066	5.412	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	108.200%
7) Chloroethane-d5	1.919	69	34665	5.403	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	108.000%
11) 1,1-Dichloroethene-d2	2.575	65	17569	5.424	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	108.400%
20) 2-Butanone-d5	4.642	46	102845	42.634	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	85.260%
24) Chloroform-d	5.067	84	70043	4.900	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	98.000%
26) 1,2-Dichloroethane-d4	5.707	65	39485	5.072	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	101.400%
32) Benzene-d6	5.732	84	136265	4.088	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	81.800%
36) 1,2-Dichloropropane-d6	6.694	67	43110	4.307	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	86.200%
41) Toluene-d8	7.899	98	102011	3.343	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	66.800%#
43) trans-1,3-Dichloroprop...	8.182	79	16238	3.694	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	73.800%
46) 2-Hexanone-d5	8.636	63	83979	32.267	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	64.540%
56) 1,1,2,2-Tetrachloroeth...	10.758	84	39109	3.892	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	77.800%
66) 1,2-Dichlorobenzene-d4	12.192	152	37175	4.184	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	83.600%
Target Compounds						
					Qvalue	
34) Trichloroethene	6.546	95	2084	0.301	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU020122\
Data File : VU046983.D
Acq On : 01 Feb 2022 23:48
Operator : SY/MD
Sample : N1349-09 100X
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 33 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0HP8

Quant Time: Feb 02 04:08:20 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR011822WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Feb 02 03:49:05 2022
Response via : Initial Calibration

