

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU020422\
 Data File : VU047055.D
 Acq On : 04 Feb 2022 19:10
 Operator : SY/MD
 Sample : VIBLK038
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VIBLK038

Quant Time: Feb 05 01:36:06 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR020422WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat Feb 05 01:18:17 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.253	114	93568	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.420	117	109585	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.815	152	48424	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.600	65	61539	5.127	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	102.600%
7) Chloroethane-d5	1.919	69	47783	5.157	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	103.200%
11) 1,1-Dichloroethene-d2	2.571	65	22726	5.289	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	105.800%
20) 2-Butanone-d5	4.636	46	130319	54.298	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	108.600%
24) Chloroform-d	5.067	84	100204	5.234	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	104.600%
26) 1,2-Dichloroethane-d4	5.703	65	51927	5.309	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	106.200%
32) Benzene-d6	5.729	84	197598	5.148	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	103.000%
36) 1,2-Dichloropropane-d6	6.694	67	61473	5.134	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	102.600%
41) Toluene-d8	7.899	98	160691	4.720	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	94.400%
43) trans-1,3-Dichloroprop...	8.179	79	21960	4.814	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	96.200%
46) 2-Hexanone-d5	8.636	63	110528	52.303	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	104.600%
56) 1,1,2,2-Tetrachloroeth...	10.758	84	51760	5.064	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	101.200%
66) 1,2-Dichlorobenzene-d4	12.195	152	57825	5.865	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	117.400%
Target Compounds						
					Qvalue	
47) Tetrachloroethene	8.558	164	15280	2.531	ug/L	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU020422\
Data File : VU047055.D
Acq On : 04 Feb 2022 19:10
Operator : SY/MD
Sample : VIBLK038
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VIBLK038

Quant Time: Feb 05 01:36:06 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR020422WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Feb 05 01:18:17 2022
Response via : Initial Calibration

