

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU020425\
 Data File : VU063129.D
 Acq On : 04 Feb 2025 19:20
 Operator : MD/SY
 Sample : Q1227-07
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 E2978

Quant Time: Feb 05 08:04:44 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR020425WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Feb 05 07:57:12 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.238	114	75771	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.409	117	71943	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.804	152	28902	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.592	65	21898	5.052	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	= 101.000%		
7) Chloroethane-d5	1.901	69	20384	5.067	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	= 101.400%		
11) 1,1-Dichloroethene-d2	2.554	65	9866	5.099	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	= 102.000%		
20) 2-Butanone-d5	4.608	46	69011	48.368	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	= 96.740%		
24) Chloroform-d	5.049	84	46510	4.854	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	= 97.000%		
26) 1,2-Dichloroethane-d4	5.689	65	24741	5.020	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	= 100.400%		
32) Benzene-d6	5.714	84	91613	4.882	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	= 97.600%		
36) 1,2-Dichloropropane-d6	6.679	67	31146	5.034	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	= 100.600%		
41) Toluene-d8	7.888	98	77493	4.675	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	= 93.400%		
43) trans-1,3-Dichloroprop...	8.171	79	10596	4.571	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	= 91.400%		
46) 2-Hexanone-d5	8.621	63	52645	45.122	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	= 90.240%		
56) 1,1,2,2-Tetrachloroeth...	10.746	84	25575	4.684	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	= 93.600%		
66) 1,2-Dichlorobenzene-d4	12.187	152	25278	5.238	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	= 104.800%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU020425\
Data File : VU063129.D
Acq On : 04 Feb 2025 19:20
Operator : MD/SY
Sample : Q1227-07
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
E2978

Quant Time: Feb 05 08:04:44 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR020425WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Feb 05 07:57:12 2025
Response via : Initial Calibration

