

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU021022\
 Data File : VU047091.D
 Acq On : 10 Feb 2022 22:08
 Operator : SY/MD
 Sample : N1462-07
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F4M40

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM021022WMA.M
 Title : VOC Analysis

Signal : TIC: VU047091.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.604	75	82	99	rBV	262446	307039	15.23%	1.877%
2	1.922	174	181	204	rVB	187824	258435	12.82%	1.580%
3	2.575	374	384	398	rBV	418793	683538	33.90%	4.179%
4	3.423	645	648	650	rBV4	979	636	0.03%	0.004%
5	3.539	680	684	690	rVB8	1734	1828	0.09%	0.011%
6	3.597	699	702	704	rBV4	1182	831	0.04%	0.005%
7	3.886	787	792	798	rVB10	1394	1337	0.07%	0.008%
8	3.919	798	802	806	rBV7	1923	2201	0.11%	0.013%
9	4.041	830	840	843	rBV10	1392	2171	0.11%	0.013%
10	4.083	851	853	857	rVB5	1170	629	0.03%	0.004%
11	4.102	857	859	863	rBV4	1156	819	0.04%	0.005%
12	4.157	872	876	879	rBV6	1082	770	0.04%	0.005%
13	4.263	905	909	913	rBV7	1719	1635	0.08%	0.010%
14	4.317	924	926	928	rBV3	486	160	0.01%	0.001%
15	4.333	928	931	934	rVV5	798	607	0.03%	0.004%
16	4.411	951	955	956	rBV3	1013	666	0.03%	0.004%
17	4.436	961	963	966	rVB4	1064	668	0.03%	0.004%
18	4.456	966	969	970	rVB3	541	281	0.01%	0.002%
19	4.472	970	974	977	rBV6	1018	1004	0.05%	0.006%
20	4.491	978	980	986	rVB7	956	610	0.03%	0.004%
21	4.517	986	988	990	rBV3	678	425	0.02%	0.003%
22	4.578	1005	1007	1011	rVB5	1147	493	0.02%	0.003%
23	4.649	1011	1029	1076	rBV	186206	765296	37.95%	4.679%
24	5.067	1145	1159	1185	rVB	339888	748985	37.14%	4.579%
25	5.436	1271	1274	1275	rBV3	1267	677	0.03%	0.004%
26	5.475	1284	1286	1288	rBV3	858	306	0.02%	0.002%
27	5.517	1297	1299	1302	rBV4	986	474	0.02%	0.003%
28	5.536	1302	1305	1309	rBV6	864	766	0.04%	0.005%
29	5.568	1314	1315	1316	rBV	293	94	0.00%	0.001%
30	5.581	1316	1319	1325	rVB7	1990	1889	0.09%	0.012%
31	5.613	1325	1329	1332	rVB5	873	595	0.03%	0.004%
32	5.639	1332	1337	1338	rBV4	1642	1429	0.07%	0.009%
33	5.729	1344	1365	1399	rBV2	747319	2016606	100.00%	12.328%
34	6.253	1508	1528	1561	rBV	570115	1142287	56.64%	6.983%
35	6.459	1589	1592	1596	rVB5	1751	1192	0.06%	0.007%
36	6.693	1652	1665	1685	rBV	458079	893084	44.29%	5.460%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU021022\
 Data File : VU047091.D
 Acq On : 10 Feb 2022 22:08
 Operator : SY/MD
 Sample : N1462-07
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F4M40

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM021022WMA.M
 Title : VOC Analysis

37	7.002	1757	1761	1764	rBV5	1574	1423	0.07%	0.009%
38	7.041	1769	1773	1774	rBV3	1783	994	0.05%	0.006%
39	7.092	1787	1789	1791	rBV2	680	472	0.02%	0.003%
40	7.105	1791	1793	1798	rVV6	1728	1328	0.07%	0.008%
41	7.140	1802	1804	1809	rVB4	1664	1286	0.06%	0.008%
42	7.189	1809	1819	1826	rBV9	4458	8566	0.42%	0.052%
43	7.263	1839	1842	1846	rBV4	571	593	0.03%	0.004%
44	7.333	1861	1864	1869	rBV6	1657	1518	0.08%	0.009%
45	7.382	1876	1879	1880	rBV4	729	368	0.02%	0.002%
46	7.391	1880	1882	1883	rVV2	706	222	0.01%	0.001%
47	7.430	1891	1894	1897	rBV5	805	477	0.02%	0.003%
48	7.568	1924	1937	1955	rBV	297122	525962	26.08%	3.215%
49	7.899	2027	2040	2075	rBV	889993	1747081	86.63%	10.681%
50	8.179	2116	2127	2151	rVB	202268	353809	17.54%	2.163%
51	8.336	2174	2176	2178	rBV3	1161	447	0.02%	0.003%
52	8.385	2188	2191	2192	rBV3	1343	749	0.04%	0.005%
53	8.555	2234	2244	2256	rBV	70888	121053	6.00%	0.740%
54	8.636	2257	2269	2286	rBV	767239	1368241	67.85%	8.365%
55	9.028	2388	2391	2393	rBV4	1146	957	0.05%	0.006%
56	9.208	2442	2447	2448	rBV3	1173	1036	0.05%	0.006%
57	9.333	2484	2486	2488	rVB2	801	375	0.02%	0.002%
58	9.349	2488	2491	2495	rBV5	1462	1407	0.07%	0.009%
59	9.420	2500	2513	2535	rVV	752225	1358986	67.39%	8.308%
60	9.542	2548	2551	2552	rBV3	1132	659	0.03%	0.004%
61	9.690	2592	2597	2606	rBV8	3604	5797	0.29%	0.035%
62	9.774	2620	2623	2626	rBV4	1410	1005	0.05%	0.006%
63	9.832	2637	2641	2643	rBV5	1133	958	0.05%	0.006%
64	9.896	2659	2661	2664	rVB4	976	389	0.02%	0.002%
65	10.021	2698	2700	2702	rBV3	741	414	0.02%	0.003%
66	10.050	2706	2709	2713	rVB5	1515	1231	0.06%	0.008%
67	10.073	2713	2716	2718	rBV4	1047	616	0.03%	0.004%
68	10.169	2744	2746	2748	rBV3	658	343	0.02%	0.002%
69	10.227	2757	2764	2769	rBV7	1865	2547	0.13%	0.016%
70	10.304	2784	2788	2791	rBV6	908	861	0.04%	0.005%
71	10.404	2818	2819	2824	rBV5	830	787	0.04%	0.005%
72	10.600	2877	2880	2882	rBV4	837	548	0.03%	0.003%
73	10.758	2917	2929	2946	rBV	652901	1062630	52.69%	6.496%
74	11.340	3107	3110	3111	rBV3	1283	670	0.03%	0.004%
75	11.696	3212	3221	3227	rBV3	4411	7478	0.37%	0.046%
76	11.812	3244	3257	3273	rBV	862590	1385853	68.72%	8.472%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU021022\
 Data File : VU047091.D
 Acq On : 10 Feb 2022 22:08
 Operator : SY/MD
 Sample : N1462-07
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F4M40

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM021022WMA.M

Title : VOC Analysis

77	12.192	3364	3375	3391	rVB	941066	1531576	75.95%	9.363%
78	12.397	3435	3439	3441	rBV5	2528	1971	0.10%	0.012%
79	12.523	3475	3478	3480	rBV5	1116	838	0.04%	0.005%
80	12.774	3549	3556	3565	rBV3	5140	7978	0.40%	0.049%
81	13.368	3739	3741	3742	rBV2	899	365	0.02%	0.002%
82	13.442	3759	3764	3765	rBV5	1662	1375	0.07%	0.008%
83	13.539	3791	3794	3797	rBV5	1333	1050	0.05%	0.006%
84	13.690	3838	3841	3845	rBV5	1832	1314	0.07%	0.008%
85	13.989	3932	3934	3936	rBV3	821	403	0.02%	0.002%




Sum of corrected areas: 16357469

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU021022\
Data File : VU047091.D
Acq On : 10 Feb 2022 22:08
Operator : SY/MD
Sample : N1462-07
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F4M40

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM021022WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU021022\
Data File : VU047091.D
Acq On : 10 Feb 2022 22:08
Operator : SY/MD
Sample : N1462-07
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F4M40

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM021022WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU021022\
Data File : VU047091.D
Acq On : 10 Feb 2022 22:08
Operator : SY/MD
Sample : N1462-07
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F4M40

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM021022WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------