

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU030322\
 Data File : VU047307.D
 Acq On : 03 Mar 2022 11:03
 Operator : SY/MD
 Sample : N1745-11
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 H0AB1

Quant Time: Mar 04 01:53:37 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR021622WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Mar 04 01:50:04 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.253	114	140467	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.420	117	144694	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	89486	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.601	65	47157	3.975	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	79.400%	
7) Chloroethane-d5	1.919	69	39061	4.155	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	83.000%	
11) 1,1-Dichloroethene-d2	2.572	65	20381	4.154	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	83.000%	
20) 2-Butanone-d5	4.645	46	143343	50.552	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	101.100%	
24) Chloroform-d	5.067	84	86135	4.371	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	87.400%	
26) 1,2-Dichloroethane-d4	5.707	65	49102	4.481	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	89.600%	
32) Benzene-d6	5.732	84	174860	4.325	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	86.600%	
36) 1,2-Dichloropropane-d6	6.694	67	55719	4.331	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	86.600%	
41) Toluene-d8	7.899	98	165147	4.176	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	83.600%	
43) trans-1,3-Dichloroprop...	8.182	79	23417	4.016	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	80.400%	
46) 2-Hexanone-d5	8.636	63	129082	42.039	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	84.080%	
56) 1,1,2,2-Tetrachloroeth...	10.758	84	53646	4.588	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	91.800%	
66) 1,2-Dichlorobenzene-d4	12.195	152	72995	4.546	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	91.000%	
Target Compounds						
					Qvalue	
3) Chloromethane	1.527	50	2879	0.223	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU030322\
Data File : VU047307.D
Acq On : 03 Mar 2022 11:03
Operator : SY/MD
Sample : N1745-11
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
H0AB1

Quant Time: Mar 04 01:53:37 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR021622WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Mar 04 01:50:04 2022
Response via : Initial Calibration

