

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU030822\
 Data File : VU047395.D
 Acq On : 08 Mar 2022 16:58
 Operator : SY/MD
 Sample : VIBLK010
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VIBLK010

Quant Time: Mar 09 03:05:14 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR030422WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Mar 09 02:01:55 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.253	114	250367	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.420	117	239053	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	130790	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.604	65	39749	2.237	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	44.800%
7) Chloroethane-d5	1.919	69	42767	2.885	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	57.600%#
11) 1,1-Dichloroethene-d2	2.572	65	16751	2.232	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	44.600%#
20) 2-Butanone-d5	4.645	46	245285	42.046	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	84.100%
24) Chloroform-d	5.067	84	111315	3.390	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	67.800%#
26) 1,2-Dichloroethane-d4	5.706	65	66380	3.602	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	72.000%
32) Benzene-d6	5.732	84	199856	2.968	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	59.400%#
36) 1,2-Dichloropropane-d6	6.694	67	71571	3.413	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	68.200%
41) Toluene-d8	7.899	98	167629	2.637	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	52.800%#
43) trans-1,3-Dichloroprop...	8.182	79	29328	3.183	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	63.600%
46) 2-Hexanone-d5	8.639	63	210910	40.217	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	80.440%
56) 1,1,2,2-Tetrachloroeth...	10.758	84	78085	3.655	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	73.200%
66) 1,2-Dichlorobenzene-d4	12.195	152	86150	3.361	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	67.200%#

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU030822\
Data File : VU047395.D
Acq On : 08 Mar 2022 16:58
Operator : SY/MD
Sample : VIBLK010
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VIBLK010

Quant Time: Mar 09 03:05:14 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR030422WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Mar 09 02:01:55 2022
Response via : Initial Calibration

