

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU031324\
 Data File : VU058072.D
 Acq On : 13 Mar 2024 11:30
 Operator : MD/SY
 Sample : VU0313WBL01
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK146

Quant Time: Mar 14 04:37:52 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR022924WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Mar 14 04:37:22 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	135337	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.415	117	131066	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	59801	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.592	65	33325	3.422	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	68.400%	
7) Chloroethane-d5	1.907	69	33790	4.222	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	84.400%	
11) 1,1-Dichloroethene-d2	2.560	65	17076	4.053	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	81.000%	
20) 2-Butanone-d5	4.615	46	96909	60.403	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	120.800%	
24) Chloroform-d	5.055	84	90658	4.923	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	98.400%	
26) 1,2-Dichloroethane-d4	5.695	65	43874	5.258	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	105.200%	
32) Benzene-d6	5.721	84	173368	4.539	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	90.800%	
36) 1,2-Dichloropropane-d6	6.685	67	58416	5.031	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	100.600%	
41) Toluene-d8	7.894	98	146378	4.230	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	84.600%	
43) trans-1,3-Dichloroprop...	8.177	79	17145	4.294	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	85.800%	
46) 2-Hexanone-d5	8.627	63	79459	59.271	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	118.540%	
56) 1,1,2,2-Tetrachloroeth...	10.753	84	38558	5.415	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	108.400%	
66) 1,2-Dichlorobenzene-d4	12.190	152	50566	5.134	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	102.600%	

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU031324\
Data File : VU058072.D
Acq On : 13 Mar 2024 11:30
Operator : MD/SY
Sample : VU0313WBL01
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK146

Quant Time: Mar 14 04:37:52 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR022924WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Mar 14 04:37:22 2024
Response via : Initial Calibration

