

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU031622\
 Data File : VU047597.D
 Acq On : 16 Mar 2022 18:03
 Operator : SY/MD
 Sample : N1858-01
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 ETNM4

Quant Time: Mar 17 00:53:16 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR031422WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Mar 17 00:50:30 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.253	114	125373	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.420	117	125319	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	61792	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.600	65	25200	3.073	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	61.400%
7) Chloroethane-d5	1.919	69	30057	4.039	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	80.800%
11) 1,1-Dichloroethene-d2	2.571	65	10502	2.731	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	54.600%#
20) 2-Butanone-d5	4.642	46	123016	52.143	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	104.280%
24) Chloroform-d	5.066	84	78849	4.379	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	87.600%
26) 1,2-Dichloroethane-d4	5.703	65	45956	4.711	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	94.200%
32) Benzene-d6	5.732	84	132341	3.628	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	72.600%
36) 1,2-Dichloropropane-d6	6.693	67	49600	4.323	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	86.400%
41) Toluene-d8	7.899	98	103219	3.018	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	60.400%#
43) trans-1,3-Dichloroprop...	8.179	79	18758	3.889	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	77.800%
46) 2-Hexanone-d5	8.639	63	127076	50.827	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	101.660%
56) 1,1,2,2-Tetrachloroeth...	10.758	84	55398	4.835	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	96.800%
66) 1,2-Dichlorobenzene-d4	12.195	152	54087	4.189	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	83.800%
Target Compounds					Qvalue	
42) Toluene	7.973	91	52994	1.726	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU031622\
Data File : VU047597.D
Acq On : 16 Mar 2022 18:03
Operator : SY/MD
Sample : N1858-01
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
ETNM4

Quant Time: Mar 17 00:53:16 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR031422WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Mar 17 00:50:30 2022
Response via : Initial Calibration

