

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU031725\
 Data File : VU063295.D
 Acq On : 17 Mar 2025 15:49
 Operator : MD/SY
 Sample : VU0317WBL01
 Misc : 5mL/MSVOA_U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK115

Quant Time: Mar 21 09:29:48 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM031725WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Mar 21 09:28:56 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.239	114	282479	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.409	117	274624	50.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.804	152	113305	50.00	ug/L	0.00

System Monitoring Compounds						
4) Vinyl Chloride-d3	1.592	65	111144	47.11	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	94.22%
7) Chloroethane-d5	1.898	69	94010	48.48	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	96.96%
11) 1,1-Dichloroethene-d2	2.554	63	152241	36.83	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	73.66%
21) 2-Butanone-d5	4.608	46	167930	98.58	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	98.58%
24) Chloroform-d	5.049	84	207062	46.94	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.88%
26) 1,2-Dichloroethane-d4	5.689	65	134298	48.83	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.66%
32) Benzene-d6	5.714	84	427587	49.63	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.26%
36) 1,2-Dichloropropane-d6	6.679	67	138985	49.59	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.18%
41) Toluene-d8	7.888	98	365694	47.74	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.48%
43) trans-1,3-Dichloroprop...	8.171	79	59012	47.54	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	95.08%
47) 2-Hexanone-d5	8.621	63	99871	93.93	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	93.93%
56) 1,1,2,2-Tetrachloroeth...	10.746	84	196316	46.64	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	93.28%
66) 1,2-Dichlorobenzene-d4	12.184	152	119112	51.99	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.98%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU031725\
Data File : VU063295.D
Acq On : 17 Mar 2025 15:49
Operator : MD/SY
Sample : VU0317WBL01
Misc : 5mL/MSVOA_U/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK115

Quant Time: Mar 21 09:29:48 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM031725WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 21 09:28:56 2025
Response via : Initial Calibration

