

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU032622\
 Data File : VU047718.D
 Acq On : 26 Mar 2022 18:44
 Operator : SY/MD
 Sample : N2081-20DL 10X
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EW5Y7DL

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM032422WMA.M

Title : VOC Analysis

Signal : TIC: VU047718.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.600	74	81	101	rVB	125426	150526	13.01%	1.387%
2	1.915	171	179	204	rBV	118163	166689	14.41%	1.536%
3	2.575	371	384	412	rBV3	266093	507654	43.89%	4.678%
4	2.957	499	503	509	rBV4	380	455	0.04%	0.004%
5	3.054	525	533	542	rVB3	1534	2630	0.23%	0.024%
6	3.189	568	575	577	rBV3	548	672	0.06%	0.006%
7	3.359	619	628	637	rBV4	2747	4814	0.42%	0.044%
8	3.462	655	660	664	rBV3	269	280	0.02%	0.003%
9	3.587	696	699	708	rVB2	392	407	0.04%	0.004%
10	3.652	715	719	722	rVB2	267	228	0.02%	0.002%
11	3.874	772	788	808	rBV2	63665	146857	12.70%	1.353%
12	4.022	828	834	836	rBV	264	209	0.02%	0.002%
13	4.063	844	847	850	rBV2	211	182	0.02%	0.002%
14	4.105	856	860	866	rVB2	288	269	0.02%	0.002%
15	4.308	919	923	929	rBV3	217	242	0.02%	0.002%
16	4.366	938	941	945	rVB2	262	221	0.02%	0.002%
17	4.465	967	972	974	rBV	343	295	0.03%	0.003%
18	4.632	1007	1024	1061	rBV2	134997	464053	40.12%	4.276%
19	4.861	1092	1095	1099	rVB3	544	329	0.03%	0.003%
20	4.960	1123	1126	1130	rBV2	308	237	0.02%	0.002%
21	5.066	1140	1159	1185	rBV	212180	466101	40.29%	4.295%
22	5.321	1221	1238	1259	rBV	227083	517274	44.72%	4.767%
23	5.394	1259	1261	1267	rVV2	594	394	0.03%	0.004%
24	5.729	1341	1365	1394	rBV2	421776	1156777	100.00%	10.660%
25	5.857	1402	1405	1408	rVV3	403	192	0.02%	0.002%
26	5.886	1411	1414	1421	rVB3	354	341	0.03%	0.003%
27	5.919	1421	1424	1431	rVB2	297	291	0.03%	0.003%
28	5.983	1439	1444	1448	rBV3	445	351	0.03%	0.003%
29	6.105	1477	1482	1484	rBV2	319	242	0.02%	0.002%
30	6.153	1494	1497	1500	rVB2	327	238	0.02%	0.002%
31	6.250	1511	1527	1555	rBV	371141	707008	61.12%	6.515%
32	6.375	1564	1566	1574	rVB3	767	666	0.06%	0.006%
33	6.472	1593	1596	1602	rVB3	215	203	0.02%	0.002%
34	6.546	1607	1619	1640	rBV2	49466	93833	8.11%	0.865%
35	6.619	1640	1642	1648	rVB2	332	265	0.02%	0.002%
36	6.693	1650	1665	1686	rBV	268825	523397	45.25%	4.823%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU032622\
 Data File : VU047718.D
 Acq On : 26 Mar 2022 18:44
 Operator : SY/MD
 Sample : N2081-20DL 10X
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EW5Y7DL

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM032422WMA.M
 Title : VOC Analysis

37	6.806	1696	1700	1701	rBV2	530	328	0.03%	0.003%
38	6.912	1727	1733	1735	rBV2	410	315	0.03%	0.003%
39	7.034	1768	1771	1772	rBV2	368	190	0.02%	0.002%
40	7.073	1780	1783	1787	rVB	263	212	0.02%	0.002%
41	7.189	1807	1819	1825	rBV5	2078	3643	0.31%	0.034%
42	7.269	1841	1844	1848	rBV	328	252	0.02%	0.002%
43	7.478	1907	1909	1912	rBV	260	220	0.02%	0.002%
44	7.523	1917	1923	1924	rBV2	294	289	0.02%	0.003%
45	7.565	1924	1936	1956	rBV	146346	261286	22.59%	2.408%
46	7.658	1963	1965	1968	rVB3	546	225	0.02%	0.002%
47	7.690	1968	1975	1985	rVV4	1599	2741	0.24%	0.025%
48	7.793	2002	2007	2010	rBV3	509	464	0.04%	0.004%
49	7.899	2026	2040	2056	rBV	530991	918715	79.42%	8.466%
50	8.179	2115	2127	2146	rBV	104033	179804	15.54%	1.657%
51	8.404	2189	2197	2205	rBV4	1756	2634	0.23%	0.024%
52	8.475	2209	2219	2230	rVB3	3991	7255	0.63%	0.067%
53	8.555	2232	2244	2257	rBV	80232	136597	11.81%	1.259%
54	8.635	2257	2269	2315	rVB	446834	835241	72.20%	7.697%
55	8.918	2352	2357	2365	rBV3	317	471	0.04%	0.004%
56	8.960	2365	2370	2372	rBV2	258	270	0.02%	0.002%
57	9.320	2479	2482	2486	rVB	307	194	0.02%	0.002%
58	9.417	2499	2512	2536	rBV	554260	927503	80.18%	8.547%
59	9.571	2555	2560	2571	rVB4	868	1216	0.11%	0.011%
60	10.057	2708	2711	2719	rVB2	339	263	0.02%	0.002%
61	10.102	2719	2725	2727	rBV	868	708	0.06%	0.007%
62	10.256	2769	2773	2780	rBV2	238	382	0.03%	0.004%
63	10.488	2842	2845	2849	rBV	425	384	0.03%	0.004%
64	10.510	2849	2852	2856	rVB3	227	197	0.02%	0.002%
65	10.671	2896	2902	2913	rVB2	1050	1277	0.11%	0.012%
66	10.758	2915	2929	2945	rBV	437494	702612	60.74%	6.475%
67	10.896	2959	2972	2985	rVB2	6522	10842	0.94%	0.100%
68	11.086	3027	3031	3033	rBV3	683	514	0.04%	0.005%
69	11.227	3071	3075	3079	rBV2	361	373	0.03%	0.003%
70	11.288	3090	3094	3102	rVB3	293	460	0.04%	0.004%
71	11.442	3136	3142	3143	rBV2	459	332	0.03%	0.003%
72	11.468	3143	3150	3163	rVB5	2676	4153	0.36%	0.038%
73	11.574	3176	3183	3186	rBV3	358	386	0.03%	0.004%
74	11.619	3191	3197	3200	rBV	329	396	0.03%	0.004%
75	11.696	3217	3221	3225	rBV3	552	493	0.04%	0.005%
76	11.745	3232	3236	3240	rBV4	916	927	0.08%	0.009%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU032622\
 Data File : VU047718.D
 Acq On : 26 Mar 2022 18:44
 Operator : SY/MD
 Sample : N2081-20DL 10X
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EW5Y7DL

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM032422WMA.M
 Title : VOC Analysis

77	11.812	3244	3257	3275	rBV	633629	985820	85.22%	9.084%
78	11.970	3304	3306	3312	rVB2	1254	1013	0.09%	0.009%
79	12.012	3316	3319	3323	rBV2	349	293	0.03%	0.003%
80	12.092	3340	3344	3349	rBV3	345	398	0.03%	0.004%
81	12.192	3363	3375	3395	rVV	566670	929415	80.35%	8.565%
82	12.301	3407	3409	3413	rBV2	371	247	0.02%	0.002%
83	12.330	3415	3418	3420	rBV	413	253	0.02%	0.002%
84	12.343	3420	3422	3425	rVB2	477	223	0.02%	0.002%
85	12.362	3425	3428	3432	rBV3	254	245	0.02%	0.002%
86	12.455	3454	3457	3461	rVB3	351	284	0.02%	0.003%
87	12.696	3529	3532	3536	rVB3	303	239	0.02%	0.002%
88	12.719	3536	3539	3542	rBV	403	328	0.03%	0.003%
89	12.774	3550	3556	3565	rVB2	1503	2405	0.21%	0.022%
90	12.809	3565	3567	3570	rBV3	344	218	0.02%	0.002%
91	12.995	3618	3625	3628	rBV2	326	510	0.04%	0.005%
92	13.082	3645	3652	3654	rBV2	229	339	0.03%	0.003%
93	13.224	3691	3696	3701	rBV2	599	815	0.07%	0.008%
94	13.590	3807	3810	3817	rBV2	255	312	0.03%	0.003%
95	13.722	3848	3851	3854	rBV	253	205	0.02%	0.002%
96	13.844	3886	3889	3898	rVB4	1322	1424	0.12%	0.013%
97	14.031	3944	3947	3950	rBV2	324	230	0.02%	0.002%
98	14.092	3958	3966	3982	rBV	3305	5006	0.43%	0.046%
99	14.330	4037	4040	4052	rVB4	1228	1521	0.13%	0.014%
100	15.095	4275	4278	4280	rBV3	619	361	0.03%	0.003%

Sum of corrected areas: 10851690

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU032622\
Data File : VU047718.D
Acq On : 26 Mar 2022 18:44
Operator : SY/MD
Sample : N2081-20DL 10X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EW5Y7DL

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM032422WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU032622\
Data File : VU047718.D
Acq On : 26 Mar 2022 18:44
Operator : SY/MD
Sample : N2081-20DL 10X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EW5Y7DL

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM032422WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------