

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU032720\
 Data File : VU037404.D
 Acq On : 28 Mar 2020 05:44
 Operator : JC/MD
 Sample : L2005-05 50X
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 CODE7

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM032720WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.610	78	84	96	rVB	110695	117155	13.13%	1.570%
2	1.925	175	182	194	rVB	79132	106673	11.95%	1.430%
3	2.591	378	389	404	rVB	189388	313830	35.17%	4.206%
4	2.790	444	451	465	rVB2	10224	18015	2.02%	0.241%
5	3.218	576	584	595	rBV2	6440	12779	1.43%	0.171%
6	3.369	627	631	633	rBV4	1323	1026	0.11%	0.014%
7	3.395	633	639	643	rVB6	1281	1644	0.18%	0.022%
8	3.424	643	648	651	rBV6	1302	1358	0.15%	0.018%
9	3.501	667	672	674	rBV4	1336	1253	0.14%	0.017%
10	3.623	706	710	713	rBV5	973	903	0.10%	0.012%
11	3.771	752	756	760	rBV6	1690	1359	0.15%	0.018%
12	3.990	821	824	825	rBV2	1510	912	0.10%	0.012%
13	4.183	881	884	886	rBV4	1419	871	0.10%	0.012%
14	4.324	926	928	932	rVB4	1332	853	0.10%	0.011%
15	4.347	932	935	940	rBV5	1312	1462	0.16%	0.020%
16	4.668	1018	1035	1058	rBV2	111008	271611	30.44%	3.640%
17	4.829	1083	1085	1090	rVB5	1063	940	0.11%	0.013%
18	4.858	1090	1094	1097	rBV6	1157	1097	0.12%	0.015%
19	4.874	1097	1099	1103	rVB4	1529	950	0.11%	0.013%
20	4.893	1103	1105	1109	rBV4	1174	865	0.10%	0.012%
21	4.925	1110	1115	1119	rBV7	1318	1584	0.18%	0.021%
22	4.973	1128	1130	1134	rBV5	1260	868	0.10%	0.012%
23	5.102	1155	1170	1189	rVB	163478	354184	39.69%	4.747%
24	5.433	1270	1273	1278	rBV6	986	1023	0.11%	0.014%
25	5.456	1278	1280	1285	rVB5	1306	867	0.10%	0.012%
26	5.491	1285	1291	1295	rBV8	1761	2473	0.28%	0.033%
27	5.543	1301	1307	1310	rBV7	1605	2073	0.23%	0.028%
28	5.610	1326	1328	1336	rVB9	1478	1617	0.18%	0.022%
29	5.758	1352	1374	1393	rVV2	338131	892320	100.00%	11.958%
30	5.935	1423	1429	1431	rBV7	1301	1461	0.16%	0.020%
31	6.076	1467	1473	1475	rBV6	1440	1464	0.16%	0.020%
32	6.282	1521	1537	1555	rVB	294318	552913	61.96%	7.410%
33	6.356	1555	1560	1563	rBV6	1390	1329	0.15%	0.018%
34	6.481	1595	1599	1603	rBV5	1442	1289	0.14%	0.017%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU032720\
 Data File : VU037404.D
 Acq On : 28 Mar 2020 05:44
 Operator : JC/MD
 Sample : L2005-05 50X
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0DE7

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM032720WMA.M
 Title : VOC Analysis

35	6.552	1614	1621	1623	rBV7	2292	2573	0.29%	0.034%
36	6.565	1623	1625	1632	rVB7	2148	2204	0.25%	0.030%
37	6.723	1660	1674	1690	rBV	211883	411947	46.17%	5.521%
38	7.096	1786	1790	1793	rVV5	1005	1008	0.11%	0.014%
39	7.205	1817	1824	1830	rBV9	2718	3787	0.42%	0.051%
40	7.298	1850	1853	1858	rVB7	2249	2139	0.24%	0.029%
41	7.321	1858	1860	1863	rBV3	1503	1122	0.13%	0.015%
42	7.346	1863	1868	1873	rVV8	1439	1645	0.18%	0.022%
43	7.591	1933	1944	1960	rVB	136991	234371	26.27%	3.141%
44	7.652	1960	1963	1966	rBV4	1126	822	0.09%	0.011%
45	7.813	2008	2013	2014	rBV4	1516	1070	0.12%	0.014%
46	7.922	2034	2047	2062	rVV	443575	744805	83.47%	9.981%
47	8.038	2080	2083	2088	rBV6	914	908	0.10%	0.012%
48	8.124	2107	2110	2112	rBV4	1530	1043	0.12%	0.014%
49	8.202	2123	2134	2147	rBV2	98606	165577	18.56%	2.219%
50	8.452	2209	2212	2216	rVB6	1453	1072	0.12%	0.014%
51	8.578	2247	2251	2258	rVV9	981	1220	0.14%	0.016%
52	8.655	2262	2275	2301	rBV	303283	546515	61.25%	7.324%
53	8.832	2326	2330	2337	rVB8	1538	1692	0.19%	0.023%
54	9.031	2387	2392	2398	rBV8	1516	1504	0.17%	0.020%
55	9.237	2452	2456	2460	rBV5	902	893	0.10%	0.012%
56	9.356	2491	2493	2501	rVB7	1445	1505	0.17%	0.020%
57	9.436	2505	2518	2536	rVV	418537	704465	78.95%	9.441%
58	9.674	2588	2592	2594	rBV4	1241	1014	0.11%	0.014%
59	9.742	2611	2613	2617	rVB5	1957	1343	0.15%	0.018%
60	9.774	2617	2623	2625	rBV6	1194	929	0.10%	0.012%
61	9.800	2628	2631	2634	rBV5	1505	857	0.10%	0.011%
62	10.067	2707	2714	2716	rBV7	1089	1221	0.14%	0.016%
63	10.214	2757	2760	2763	rVB3	1639	1166	0.13%	0.016%
64	10.298	2783	2786	2791	rBV7	1402	1590	0.18%	0.021%
65	10.343	2797	2800	2802	rBV3	1555	946	0.11%	0.013%
66	10.401	2813	2818	2824	rVB8	1294	1391	0.16%	0.019%
67	10.655	2895	2897	2900	rBV3	1047	826	0.09%	0.011%
68	10.774	2921	2934	2946	rVV	287968	465911	52.21%	6.244%
69	10.925	2977	2981	2984	rBV6	1020	851	0.10%	0.011%
70	11.198	3061	3066	3069	rBV5	1930	1931	0.22%	0.026%
71	11.301	3093	3098	3101	rBV8	825	975	0.11%	0.013%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU032720\
 Data File : VU037404.D
 Acq On : 28 Mar 2020 05:44
 Operator : JC/MD
 Sample : L2005-05 50X
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0DE7

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM032720WMA.M
 Title : VOC Analysis

72	11.353	3110	3114	3116	rBV5	1234	1015	0.11%	0.014%
73	11.549	3172	3175	3181	rBV6	1752	1436	0.16%	0.019%
74	11.735	3229	3233	3235	rBV5	1117	884	0.10%	0.012%
75	11.825	3249	3261	3279	rBV	443581	703165	78.80%	9.423%
76	11.947	3295	3299	3302	rBV5	1357	932	0.10%	0.012%
77	11.983	3307	3310	3312	rBV3	1135	862	0.10%	0.012%
78	12.025	3319	3323	3326	rBV5	1820	1243	0.14%	0.017%
79	12.102	3344	3347	3350	rBV4	1588	1359	0.15%	0.018%
80	12.208	3366	3380	3395	rBV	435484	720840	80.78%	9.660%
81	12.317	3409	3414	3417	rBV5	2019	1954	0.22%	0.026%
82	12.501	3467	3471	3474	rVB4	1768	1209	0.14%	0.016%
83	12.526	3474	3479	3482	rBV7	1565	1477	0.17%	0.020%
84	12.642	3512	3515	3519	rVV6	1377	1093	0.12%	0.015%
85	12.687	3524	3529	3531	rBV5	1119	1170	0.13%	0.016%
86	12.755	3546	3550	3552	rBV5	1078	849	0.10%	0.011%
87	12.909	3592	3598	3601	rBV6	2309	2398	0.27%	0.032%
88	13.230	3693	3698	3701	rVV8	1590	1650	0.18%	0.022%
89	13.533	3790	3792	3799	rVB8	1819	1678	0.19%	0.022%
90	13.738	3853	3856	3863	rVV9	1534	1307	0.15%	0.018%
91	13.864	3887	3895	3906	rBV5	11159	18471	2.07%	0.248%
92	13.947	3918	3921	3922	rBV3	1616	952	0.11%	0.013%
93	14.018	3940	3943	3945	rBV4	1521	871	0.10%	0.012%
94	14.086	3961	3964	3966	rBV4	1168	832	0.09%	0.011%
95	14.144	3980	3982	3986	rBV4	1047	898	0.10%	0.012%
96	14.217	4001	4005	4008	rBV5	1163	1128	0.13%	0.015%
97	14.353	4044	4047	4052	rBV6	3005	3227	0.36%	0.043%
98	14.494	4087	4091	4094	rBV6	1187	1044	0.12%	0.014%
99	14.529	4099	4102	4105	rBV5	1346	916	0.10%	0.012%
100	14.709	4156	4158	4165	rBV8	1039	1147	0.13%	0.015%


Sum of corrected areas: 7461866

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU032720\
Data File : VU037404.D
Acq On : 28 Mar 2020 05:44
Operator : JC/MD
Sample : L2005-05 50X
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
CODE7

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM032720WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU032720\
Data File : VU037404.D
Acq On : 28 Mar 2020 05:44
Operator : JC/MD
Sample : L2005-05 50X
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0DE7

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM032720WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU032720\
Data File : VU037404.D
Acq On : 28 Mar 2020 05:44
Operator : JC/MD
Sample : L2005-05 50X
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0DE7

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM032720WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	---Internal Standard---
					# RT Resp Conc