

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU032820\
 Data File : VU037448.D
 Acq On : 29 Mar 2020 04:57
 Operator : JC/MD
 Sample : L2001-09
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 GAWF2

Quant Time: Mar 30 04:45:32 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR032820WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Mon Mar 30 03:07:55 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	103657	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	96399	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	48327	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	35098	4.59	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	91.80%
7) Chloroethane-d5	1.93	69	29286	5.11	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	102.20%
11) 1,1-Dichloroethene-d2	2.59	63	53320	3.57	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	71.40%
20) 2-Butanone-d5	4.66	46	110539	53.00	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	106.00%
24) Chloroform-d	5.11	84	69339	4.58	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	91.60%
26) 1,2-Dichloroethane-d4	5.74	65	41436	4.98	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	99.60%
32) Benzene-d6	5.76	84	138400	4.97	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	99.40%
36) 1,2-Dichloropropane-d6	6.72	67	46313	5.02	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	100.40%
41) Toluene-d8	7.92	98	128516	4.86	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	97.20%
43) trans-1,3-Dichloropropene-	8.20	79	19964	4.61	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	92.20%
46) 2-Hexanone-d5	8.65	63	93010	53.97	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	107.94%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	38088	4.92	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	98.40%
64) 1,2-Dichlorobenzene-d4	12.21	152	46559	4.89	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	97.80%


Target Compounds					Ovalue
31) Carbon tetrachloride	5.56	117	243256	23.252 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU032820\
Data File : VU037448.D
Acq On : 29 Mar 2020 04:57
Operator : JC/MD
Sample : L2001-09
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
GAWF2

Quant Time: Mar 30 04:45:32 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR032820WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Mon Mar 30 03:07:55 2020
Response via : Initial Calibration





#31

Carbon tetrachloride

Concen: 23.252 ug/L

RT: 5.56 min Scan# 1313

Delta R.T. 0.00 min

Lab File: VU037448.D

Acq: 29 Mar 2020 04:57

Instrument :

MSVOA_U

ClientSampleId :

GAWF2

Tot Ion:117 Resp: 243256

Ion Ratio Lower Upper

117 100

119 94.7 77.7 116.5

