

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU040224\
 Data File : VU058330.D
 Acq On : 02 Apr 2024 11:33
 Operator : MD/SY
 Sample : P1912-06DL 5X
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DCOD7DL

Quant Time: Apr 03 02:01:54 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR032124WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Apr 03 01:56:26 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	66864	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	62751	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	25931	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	22728	4.022	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	80.400%	
7) Chloroethane-d5	1.907	69	22210	4.816	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	96.400%	
11) 1,1-Dichloroethene-d2	2.563	65	9286	3.958	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	79.200%	
20) 2-Butanone-d5	4.624	46	51705	51.507	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	103.020%	
24) Chloroform-d	5.055	84	46491	4.602	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	92.000%	
26) 1,2-Dichloroethane-d4	5.695	65	24162	5.116	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	102.400%	
32) Benzene-d6	5.721	84	91770	4.503	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	90.000%	
36) 1,2-Dichloropropane-d6	6.682	67	29489	4.909	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	98.200%	
41) Toluene-d8	7.891	98	72372	4.008	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	80.200%	
43) trans-1,3-Dichloroprop...	8.174	79	7816	4.061	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	81.200%	
46) 2-Hexanone-d5	8.627	63	38420	49.290	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	98.580%	
56) 1,1,2,2-Tetrachloroeth...	10.749	84	20176	5.156	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	103.200%	
66) 1,2-Dichlorobenzene-d4	12.190	152	23636	4.895	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	97.800%	
Target Compounds						Qvalue
47) Tetrachloroethene	8.547	164	13379	4.652	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU040224\
Data File : VU058330.D
Acq On : 02 Apr 2024 11:33
Operator : MD/SY
Sample : P1912-06DL 5X
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DCOD7DL

Quant Time: Apr 03 02:01:54 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR032124WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Apr 03 01:56:26 2024
Response via : Initial Calibration

