

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_U\Data\VU040224\  
 Data File : VU058340.D  
 Acq On : 02 Apr 2024 16:13  
 Operator : MD/SY  
 Sample : P1929-07  
 Misc : 25.0mL/MSVOA\_U/WATER  
 ALS Vial : 18 Sample Multiplier: 1

Instrument :  
 MSVOA\_U  
 ClientSampleId :  
 VHBLK001

Quant Time: Apr 03 02:04:12 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_U\Method\SFAMUTR032124WMA.M  
 Quant Title : TRACE VOA SFAM1.0  
 QLast Update : Wed Apr 03 01:56:26 2024  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon  | Response | Conc     | Units | Dev(Min) |
|-------------------------------|--------|-------|----------|----------|-------|----------|
| -----                         |        |       |          |          |       |          |
| Internal Standards            |        |       |          |          |       |          |
| 1) 1,4-Difluorobenzene        | 6.242  | 114   | 71940    | 5.000    | ug/L  | 0.00     |
| 28) Chlorobenzene-d5          | 9.412  | 117   | 71024    | 5.000    | ug/L  | 0.00     |
| 58) 1,4-Dichlorobenzene-d4    | 11.807 | 152   | 31707    | 5.000    | ug/L  | 0.00     |
|                               |        |       |          |          |       |          |
| System Monitoring Compounds   |        |       |          |          |       |          |
| 4) Vinyl Chloride-d3          | 1.592  | 65    | 22065    | 3.629    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 40 - 130 | Recovery | =     | 72.600%  |
| 7) Chloroethane-d5            | 1.908  | 69    | 22816    | 4.598    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 65 - 130 | Recovery | =     | 92.000%  |
| 11) 1,1-Dichloroethene-d2     | 2.560  | 65    | 10248    | 4.060    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 60 - 125 | Recovery | =     | 81.200%  |
| 20) 2-Butanone-d5             | 4.621  | 46    | 54427    | 50.393   | ug/L  | 0.00     |
| Spiked Amount                 | 50.000 | Range | 40 - 130 | Recovery | =     | 100.780% |
| 24) Chloroform-d              | 5.052  | 84    | 49851    | 4.587    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 125 | Recovery | =     | 91.800%  |
| 26) 1,2-Dichloroethane-d4     | 5.692  | 65    | 24696    | 4.860    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 130 | Recovery | =     | 97.200%  |
| 32) Benzene-d6                | 5.718  | 84    | 100323   | 4.349    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 125 | Recovery | =     | 87.000%  |
| 36) 1,2-Dichloropropane-d6    | 6.682  | 67    | 32366    | 4.760    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 60 - 140 | Recovery | =     | 95.200%  |
| 41) Toluene-d8                | 7.891  | 98    | 85297    | 4.174    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 130 | Recovery | =     | 83.400%  |
| 43) trans-1,3-Dichloroprop... | 8.174  | 79    | 9353     | 4.293    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 55 - 130 | Recovery | =     | 85.800%  |
| 46) 2-Hexanone-d5             | 8.627  | 63    | 39203    | 44.436   | ug/L  | 0.00     |
| Spiked Amount                 | 50.000 | Range | 45 - 130 | Recovery | =     | 88.880%  |
| 56) 1,1,2,2-Tetrachloroeth... | 10.750 | 84    | 21123    | 4.769    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 65 - 120 | Recovery | =     | 95.400%  |
| 66) 1,2-Dichlorobenzene-d4    | 12.187 | 152   | 27766    | 4.703    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 80 - 120 | Recovery | =     | 94.000%  |
|                               |        |       |          |          |       |          |
| Target Compounds              |        |       |          |          |       | Qvalue   |
| 16) Methylene chloride        | 3.039  | 84    | 1881     | 0.368    | ug/L  | 93       |
| -----                         |        |       |          |          |       |          |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_U\Data\VU040224\  
Data File : VU058340.D  
Acq On : 02 Apr 2024 16:13  
Operator : MD/SY  
Sample : P1929-07  
Misc : 25.0mL/MSVOA\_U/WATER  
ALS Vial : 18 Sample Multiplier: 1

Instrument :  
MSVOA\_U  
ClientSampleId :  
VHBLK001

Quant Time: Apr 03 02:04:12 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_U\Method\SFAMUTR032124WMA.M  
Quant Title : TRACE VOA SFAM1.0  
QLast Update : Wed Apr 03 01:56:26 2024  
Response via : Initial Calibration

