

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU040524\
 Data File : VU058418.D
 Acq On : 05 Apr 2024 14:49
 Operator : MD/SY
 Sample : P1925-24
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 TB2(20240328)

Quant Time: Apr 05 23:36:19 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR040424WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Apr 05 23:33:02 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	76324	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	76290	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	32101	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.592	65	24098	4.769	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	95.400%
7) Chloroethane-d5	1.908	69	21727	4.948	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	99.000%
11) 1,1-Dichloroethene-d2	2.563	65	10950	4.788	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	95.800%
20) 2-Butanone-d5	4.628	46	55123	51.764	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	103.520%
24) Chloroform-d	5.052	84	50029	4.960	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	99.200%
26) 1,2-Dichloroethane-d4	5.695	65	24807	5.270	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	105.400%
32) Benzene-d6	5.718	84	99735	4.856	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	97.200%
36) 1,2-Dichloropropane-d6	6.682	67	31802	4.937	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	98.800%
41) Toluene-d8	7.891	98	82365	4.522	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	90.400%
43) trans-1,3-Dichloroprop...	8.174	79	9115	4.559	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	91.200%
46) 2-Hexanone-d5	8.628	63	36226	43.928	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	87.860%
56) 1,1,2,2-Tetrachloroeth...	10.750	84	19761	4.346	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	87.000%
66) 1,2-Dichlorobenzene-d4	12.187	152	24977	4.620	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	92.400%
Target Compounds						Qvalue
16) Methylene chloride	3.039	84	4252	0.592	ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU040524\
Data File : VU058418.D
Acq On : 05 Apr 2024 14:49
Operator : MD/SY
Sample : P1925-24
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
TB2(20240328)


Quant Time: Apr 05 23:36:19 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR040424WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Apr 05 23:33:02 2024
Response via : Initial Calibration





#16
Methylene chloride
Concen: 0.592 ug/L
RT: 3.039 min Scan# 54
Delta R.T. 0.000 min
Lab File: VU058418.D
Acq: 05 Apr 2024 14:49

Instrument :
MSVOA_U
ClientSampleId :
TB2(20240328)



Tgt Ion:	84	Resp:	4252
Ion	Ratio	Lower	Upper
84	100		
86	73.6	44.3	82.3
49	142.5	96.0	178.2

