

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU040524\
 Data File : VU058438.D
 Acq On : 05 Apr 2024 23:01
 Operator : MD/SY
 Sample : P1970-06 200X
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 38 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AJ7

Quant Time: Apr 06 05:58:54 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR040424WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat Apr 06 00:37:11 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	73230	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	70103	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	30053	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	21325	4.398	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	88.000%
7) Chloroethane-d5	1.907	69	20274	4.812	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	96.200%
11) 1,1-Dichloroethene-d2	2.560	65	9563	4.358	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	87.200%
20) 2-Butanone-d5	4.628	46	54370	53.214	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	106.420%
24) Chloroform-d	5.052	84	48039	4.963	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	99.200%
26) 1,2-Dichloroethane-d4	5.695	65	24411	5.405	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	108.000%
32) Benzene-d6	5.718	84	93641	4.961	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	99.200%
36) 1,2-Dichloropropane-d6	6.682	67	30430	5.141	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	102.800%
41) Toluene-d8	7.891	98	75378	4.504	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	90.000%
43) trans-1,3-Dichloroprop...	8.177	79	8192	4.459	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	89.200%
46) 2-Hexanone-d5	8.627	63	38382	50.650	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	101.300%
56) 1,1,2,2-Tetrachloroeth...	10.750	84	19461	4.657	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	93.200%
66) 1,2-Dichlorobenzene-d4	12.187	152	23940	4.730	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	94.600%
Target Compounds						Qvalue
12) 1,1-Dichloroethene	2.576	96	18086	3.485	ug/L	98
16) Methylene chloride	3.036	84	3149	0.457	ug/L	97
19) 1,1-Dichloroethane	3.866	63	2393	0.202	ug/L #	87
29) 1,1,1-Trichloroethane	5.306	97	51489	5.478	ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU040524\
Data File : VU058438.D
Acq On : 05 Apr 2024 23:01
Operator : MD/SY
Sample : P1970-06 200X
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 38 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AJ7

Quant Time: Apr 06 05:58:54 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR040424WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Apr 06 00:37:11 2024
Response via : Initial Calibration





#12

1,1-Dichloroethene

Concen: 3.485 ug/L

RT: 2.576 min Scan# 40

Delta R.T. 0.003 min

Lab File: VU058438.D

Acq: 05 Apr 2024 23:01

Instrument :

MSVOA_U

ClientSampleId :

C0AJ7





Tgt Ion: 96 Resp: 18086

Ion Ratio Lower Upper

96 100

61 192.6 132.5 246.1

63 127.1 87.7 162.9



#16

Methylene chloride

Concen: 0.457 ug/L

RT: 3.036 min Scan# 543

Delta R.T. 0.000 min

Lab File: VU058438.D

Acq: 05 Apr 2024 23:01




Tgt Ion: 84 Resp: 3149


Ion Ratio Lower Upper

84 100

86 63.8 44.3 82.3

49 132.5 96.0 178.2





#19

1,1-Dichloroethane

Concen: 0.202 ug/L

RT: 3.866 min Scan# 801

Delta R.T. 0.007 min

Lab File: VU058438.D

Acq: 05 Apr 2024 23:01

Instrument :

MSVOA_U

ClientSampleId :

C0AJ7





Tgt Ion: 63 Resp: 2393

Ion Ratio Lower Upper

63 100

65 35.2 22.9 42.5

83 0.0 9.6 17.8#



#29

1,1,1-Trichloroethane

Concen: 5.478 ug/L

RT: 5.306 min Scan# 1249

Delta R.T. 0.000 min

Lab File: VU058438.D

Acq: 05 Apr 2024 23:01

Tgt Ion: 97 Resp: 51489

Ion Ratio Lower Upper

97 100

99 63.4 50.4 75.6

61 49.9 39.4 59.0

