

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU041420\
 Data File : VU037702.D
 Acq On : 14 Apr 2020 16:59
 Operator : JC/MD
 Sample : L2275-02
 Misc : 25mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 YAQC0

Quant Time: Apr 15 03:34:15 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR041420WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Apr 15 03:02:33 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	315697	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	296291	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	144274	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	119762	5.01	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	100.20%
7) Chloroethane-d5	1.93	69	101815	5.05	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	101.00%
11) 1,1-Dichloroethene-d2	2.59	63	156358	3.68	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	73.60%
20) 2-Butanone-d5	4.66	46	325474	49.61	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	99.22%
24) Chloroform-d	5.10	84	180885	4.74	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.80%
26) 1,2-Dichloroethane-d4	5.74	65	107362	4.90	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	98.00%
32) Benzene-d6	5.76	84	402713	5.02	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	100.40%
36) 1,2-Dichloropropane-d6	6.72	67	131203	5.04	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	100.80%
41) Toluene-d8	7.92	98	369794	5.09	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	101.80%
43) trans-1,3-Dichloropropene-	8.20	79	58619	5.01	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	100.20%
46) 2-Hexanone-d5	8.65	63	302288	50.46	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	100.92%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	101683	4.95	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	99.00%
64) 1,2-Dichlorobenzene-d4	12.20	152	132399	5.14	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	102.80%


Target Compounds					Ovalue
13) Acetone	2.65	43	13574	3.138 ug/L	97
25) Chloroform	5.13	83	22307	0.514 ug/L	97
47) Tetrachloroethene	8.57	164	11988	0.693 ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU041420\
Data File : VU037702.D
Acq On : 14 Apr 2020 16:59
Operator : JC/MD
Sample : L2275-02
Misc : 25mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
YAQC0

Quant Time: Apr 15 03:34:15 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR041420WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Apr 15 03:02:33 2020
Response via : Initial Calibration





#13

Acetone

Concen: 3.138 ug/L

RT: 2.65 min Scan# 408

Delta R.T. -0.00 min

Lab File: VU037702.D

Acq: 14 Apr 2020 16:59

Instrument :

MSVOA_U

ClientSampleId :


YACQ0

Tot Ion: 43 Resp: 13574

Ion Ratio Lower Upper




43 100

58 34.2 0.0 64.8



Abundance Ion 43.05 (42.75 to 43.75): VU037702.D (-315) (-)

Ion 58.05 (57.75 to 58.75): VU037702.D (-315) (-)



#25

Chloroform

Concen: 0.514 ug/L

RT: 5.13 min Scan# 1178

Delta R.T. -0.00 min

Lab File: VU037702.D


Acq: 14 Apr 2020 16:59

Tgt Ion: 83 Resp: 22307

Ion Ratio Lower Upper



83 100


85 66.5 44.9 83.3



Abundance Ion 83.05 (82.75 to 83.75): VU037702.D (-1085) (-)

Ion 85.00 (84.70 to 85.70): VU037702.D (-1085) (-)





#47

Tetrachloroethene

Concen: 0.693 ug/L

RT: 8.57 min Scan# 2250

Delta R.T. -0.00 min

Lab File: VU037702.D


Acq: 14 Apr 2020 16:59

Instrument :

MSVOA_U

ClientSampleId :

YAQC0



Tot Ion:164 Resp: 11988


Ion Ratio Lower Upper

164 100

129 97.8 68.1 126.5

131 101.3 65.9 122.5

166 134.7 89.7 166.7



Abundance Ion 163.90 (163.60 to 164.60): V

Ion 128.95 (128.65 to 129.65): V

Ion 130.95 (130.65 to 131.65): V

Ion 165.90 (165.60 to 166.60): V

